

WE DISTRIBUTE OUR PRODUCTS TO MORE THAN 100 COUNTRIES AROUND THE WORLD



The technical specifications provided are for orientation purpose only and may vary according to the specific configuration. The manufacturer reserves the right to make changes or modifications at its sole discretion.

CONTENTS

ABOUT CZ	5
PISTOLS	6
CZ P-10 SERIES	8
CZ P-07/09 SERIES	20
SUBMACHINE GUNS	28
CZ SCORPION EVO 3	30
ASSAULT AND BATTLE RIFLES	34
CZ BREN 2 SERIES	36
CZ 807 SERIES	44
CZ BREN 2 BR	48
SNIPER RIFLE	52
CZ TSR	54
GRENADE LAUNCHER	56
CZ 805 G1	58



EQUIPPING THE ARMED FORCES

SINCE 1936

CZ (Ceskazbrojovka) is a premier Czech manufacturer of precision-engineered firearms. Founded in 1936 in the city of Uhersky Brod, CZ became a joint stock company in 1992, quickly growing into one of the Czech Republic's largest and most influential global exporters.

Thanks to its most precious resource, a highly skilled and motivated work force using state-of-the-art technologies, CZ has established itself as a global leader in one of the world's most challenging manufacturing fields - military-grade firearms.

Contributing to CZ's global success is its commitment to the development and use of some of the world's most advanced manufacturing equipment and processes, which include robotics, fully-automated turning and milling centers, and material coatings that significantly extend the durability and life cycle of its products.

Ultimately, CZ is able to consistently produce world-class products due to stringent quality controls that hold its people, machines and processes to the highest global manufacturing standards. This is achieved by implementing hundreds of inspections throughout the manufacturing process, which include lasers that measure tolerances to a hundredth of a millimeter. CZ's factory in Uhersky Brod, Czech Republic, is ISO 9001 certified.



PISTOLS

The semi-automatic pistol is the cornerstone of CZ's firearm range. More than 60 years of experience in designing and manufacturing some of the world's finest semiautomatic pistols gives you peace of mind in knowing the CZ pistol you choose will excel on any mission and in all environmental conditions.

Two series of military-grade pistols are offered - the striker-fired CZ P-10 and hammerfired CZ P-07/09. Both series feature fiberglass-reinforced polymer frames for lightweight carry and extreme durability in adverse environmental conditions Selected models are available as "optics-ready", "suppressor-ready" or "optics + suppressor-ready" to suit the individual needs of your team members. A black finish comes standard with all guns, but the popular flat dark earth color scheme is also available on specific models in the CZ P-10 and CZ P-09 range.


The CZ semi-automatic pistol manufacturing and design team is led by product managers with extensive experience in the armed forces. Their ongoing work is enhanced by CZ's world-class research and development facilities, which are powered by ultramodern production and design tools. Consistent feedback from active military personnel around the world ensures that design and development activities for CZ semi-automatic pistols continue to focus on the ever evolving demands of combat and missions around the world.



MAIN FEATURES

Swappable magazine release is left-handed friendly







Lightweight, fiberglass-reinforced polymer frame is mechanically and thermally stable



Three sizes of interchangeable backstraps to modify grip and finger reach



Ergonomic grip with prominent checkering for superb shooting comfort



Extremely durable nitride finish on slide and barrel



The CZ P-10 F offers shooters more firepower through the use of large capacity magazines. Shooting accuracy is also increased due to a longer sight radius.

9 × 19 | 19 9 × 19 NATO | 19 9 × 21 | 19

FULL-SIZE

CZ **P-10 F** 45 Auto

45 Auto | 13



The 45 Auto model is the largest caliber available in the CZ P-10 series and features a 13+1 capacity, which is impressive for its category. Even with the additional power it provides compared to the 9mm version, there is just a small increase in size and weight.

FULL-SIZE

CZ **P-10 F** *SR*

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-10 F SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.

FULL-SIZE

CZ **P-10 F** *OR*

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-10 F OR (Optics-Ready) features a modified slide for quick and easy attachment of a red dot sight.

FULL-SIZE

CZ **P-10 F** OR SR

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-10 F OR SR (Optics-Ready-Suppressor-Ready) features both a modified slide for attaching a red dot sight and extended barrel with 1/2"×28 UNEF – 3A threads for mounting a suppressor.

CZ P-10 F 45 Auto

CZ P-10 F SR

CZ P-10 F OR

CZ P-10 F OR SR

HEIGHT/WIDTH/ LENGTH (mm)	BARREL LENGTH (mm)	WEIGHT (kg)	CALIBER	MAGAZ CAPAC
150×32×203	114	0,80	9 × 19, 9 × 19 NATO, 9 × 21	19
150×34×207	114	0,93	45 Auto	13
155×32×225	134	0,80	9 × 19, 9 × 19 NATO	19
151×32×203	114	0,80	9 × 19, 9 × 19 NATO	19
151×32×225	134	0,80	9 × 19, 9 × 19 NATO	19

MAGA: CAPAC	SIGHTS	TRIGGER	FRAME	s
19	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer	T
13	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer	Т
 19	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer	Т
 19	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer	Т
 19	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer	T

Trigger safety, Trigger bar safety, Firing pin block safety

Trigger safety, Trigger bar safety, Firing pin block safety

Trigger safety, Trigger bar safety, Firing pin block safety

Trigger safety, Trigger bar safety, Firing pin block safety

Trigger safety, Trigger bar safety, Firing pin block safety

CZ P-10 SC

9 × 19 | 15 (17) 9 × 19 NATO | 15 (17)



A fiber-reinforced polymer frame pistol that provides the concealability of a compact, with the increased shooting accuracy of a full-sized barrel.



SEMI-COMPACT

CZ P-10 SC SR

9 × 19 | 15 (17) 9 × 19 NATO | 15 (17)



The CZ P-10 SC SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.

SEMI-COMPACT

CZ **P-10 SC** OR

9 × 19 | 15 (17) 9 × 19 NATO | 15 (17)



The CZ P-10 SC OR (Optics-Ready) pistol features a modified slide for quick and easy attachment of a red dot sight.

SEMI-COMPACT

CZ **P-10 SC** OR SR

9 × 19 | 15 (17) 9 × 19 NATO | 15 (17)



The CZ P-10 SC OR SR (Optics-Ready-Suppressor-Ready) features both a modified slide for attaching a red dot sight and an extended barrel with 1/2"×28 UNEF – 3A threads for mounting a suppressor.

in block safety

oin block safety

IODEL	
Z P-10 SC	
Z P-10 SC SR	
Z P-10 SC OR	
Z P-10 SC OR SR	

HEIGHT/WIDTH/ LENGTH (mm)	BARREL LENGTH (mm)	WEIGHT (kg)	CALIBER	MAGAZINE CAPACITY	SIGHTS	TRIGGER	FRAME	SAFETY FEATURES
132×32×203	114	0,78	9 × 19, 9 × 19 NATO	15 (17)	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing p
137×32×203	134	0,78	9 × 19, 9 × 19 NATO	15 (17)	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing p
133×32×203	114	0,78	9 × 19, 9 × 19 NATO	15 (17)	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing p
133×32×225	134	0,78	9 × 19, 9 × 19 NATO	15 (17)	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing p

9 × 19 | 15 (17) 9×19 NATO | 15 (17) 9×21 | 15 (17) 380 Auto | 15 (17)

The CZ P-10 C features downsized dimensions, an innovative design and large firing capacity. It's the perfect choice for missions that require high accuracy, superior ergonomics and rugged reliability.

COMPACT

CZ **P-10 C** *SR*

9 × 19 | 15 (17) 9 × 19 NATO | 15 (17)



The CZ P-10 C SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.

COMPACT

CZ **P-10 C** *OR*

9 × 19 | 15 (17) 9 × 19 NATO | 15 (17)



The P-10 C OR (Optics-Ready) features a modified slide for mounting a red dot sight.

COMPACT

CZ **P-10 C** OR SR

9 × 19 | 15 (17) 9 × 19 NATO | 15 (17)



The CZ P-10 C OR SR (Optics-Ready, Suppressor-Ready) features both a modified slide for attaching a red dot sight and an extended barrel with 1/2"×28 UNEF – 3A threads for mounting a suppressor.

COMPACT

CZ **P-10 C** FDE

9 × 19 | 15 (17) 9 × 19 NATO | 15 (17) 9 × 21 | 15 (17) 380 Auto | 15 (17)



This compact version in the popular CZ P-10 series offers shooters a standard tritium sight and comes in the tactically-popular Flat Dark Earth color scheme.

MODEL
CZ P-10 C
CZ P-10 C SR
CZ P-10 C OR
CZ P-10 C OR SR
CZ P-10 C FDE

HEIGHT/WIDTH/ LENGTH (mm)	BARREL LENGTH (mm)	WEIGHT (kg)	CALIBER
132×32×187	102	0,74	9 × 19, 9 × 19 I 9 × 21, 380 Au
137×32×209	122	0,74	9 × 19, 9 × 19 I
133×32×187	102	0,74	9 × 19, 9 × 19 I
133×32×209	122	0,74	9 × 19, 9 × 19 I
132×32×187	102	0,74	9 × 19, 9 × 19 I 9 × 21, 380 Au

MAGAZINE CAPACITY	SIGHTS	TRIGGER	FRAME
15 (17)	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer
15 (17)	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer
15 (17)	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer
15 (17)	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer
15 (17)	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer

	Trigger safety, Trigger bar safety, Firing pin block safety
	Trigger safety, Trigger bar safety, Firing pin block safety
Ī	Trigger cafety Trigger has cafety Fixing his block cafety

SAFETY FEATURES

CZ P-10 S

9 × 19 | 12 (14) 9 × 19 NATO | 12 (14)

The CZ P-10 S's subcompact dimensions make it an ideal choice for concealed carry or as a back-up gun. Despite its smaller size, it provides the same shooting comfort and userfriendliness as the compact version. Plenty of firepower is on hand, with a standard 12-round 9 × 19 magazine that can be extended with a +2 base plate.

SUBCOMPACT

CZ **P-10 S** OR

9 × 19 | 12 (14) 9 × 19 NATO | 12 (14)



The CZ P-10 S OR (Optics-Ready) pistol features a modified slide for quick and easy attachment of a red dot sight.

MICRO

CZ **P-10 M**

9 × 19 | 7



Despite its radical miniaturization, the CZ P-10 M retains outstanding ergonomics and the superb trigger found in all CZ P-10 series pistols. Its dimensions have been optimized for comfortable concealed carry, while providing a magazine capacity of 7+1 in 9 × 19.



MODEL	
CZ P-10 S	
CZ P-10 S OR	
CZ P-10 M	

HEIGHT/WIDTH/ LENGTH (mm)	BARREL LENGTH (mm)	WEIGHT (kg)	CALIBER	MAGAZINE CAPACITY	SIGHTS	TRIGGER	FRAME	SAFETY FEATURES
116×32×170	90	0,71	9 × 19 , 9 × 19 NATO	12 (14)	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block safety
117×32×170	90	0,71	9 × 19, 9 × 19 NATO	12 (14)	Luminescent / Tritium	SFDA	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block safety
112×25,5×160,5	85	0,57	9 × 19	7	Luminescent	SFDA	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety





9 × 19 | 19 9 × 19 NATO | 19



The CZ P-09 is a highly precise, large capacity service pistol designed to function with extreme reliability under the most demanding environmental conditions.



FULL-SIZE

CZ **P-09** SR

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-09 SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.

FULL-SIZE

CZ **P-09** FDE

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-09 FDE features standard iron sights with luminescent dots and a frame in the tactically-popular Flat Dark Earth color scheme.

IODEL	
Z P-09	
Z P-09 SR	
7 D 00 EDE	

HEIGHT/WIDTH/ LENGTH (mm)	BARREL LENGTH (mm)	W
148×37×208	115	0,
148×37×230	135	0,
148×37×208	115	0,

HEIGHT/WIDTH/ LENGTH (mm)	BARREL LENGTH (mm)	WEIGHT (kg)	CALIBER	MAGAZINE CAPACITY	SIGHTS	TRIGGER	FRAME	SAFETY FEATURES
148×37×208	115	0,89	9 × 19, 9 × 19 NATO	19	Luminescent / Tritium	SA/DA	Fiberglass-reinforced polymer	Firing pin block, Decocker / Manual safety, Safety
148×37×230	135	0,89	9 × 19, 9 × 19 NATO	19	Luminescent / Tritium	SA/DA	Fiberglass-reinforced polymer	Firing pin block, Decocker / Manual safety, Safety
148×37×208	115	0,89	9 × 19, 9 × 19 NATO	19	Luminescent / Tritium	SA/DA	Fiberglass-reinforced polymer	Firing pin block, Decocker / Manual safety, Safety

notch on the hammer

otch on the hammer

notch on the hammer

CZ P-07

9 × 19 | 15 (17) 9 × 19 NATO | 15 (17) 380 Auto | 15



A compact SA/DA pistol primarily designed for armed forces concealed carry, it features an external hammer and durable, fiberglass-reinforced polymer frame. This extremely popular model is remarkably accurate and reliable in all situations.



COMPACT

CZ **P-07** SR

9 × 19 | 15 (17) 9 × 19 NATO | 15 (17)



The CZ P-07 SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.



MODEL	
CZ P-07	

CZ P-07 SR

HEIGHT/WIDTH/ LENGTH (mm)	BAI LEN
137×37×185	95
137×37×207	115

HEIGHT/WIDTH/ LENGTH (mm)	BARREL LENGTH (mm)	WEIGHT (kg)	CALIBER	MAGAZINE CAPACITY	SIGHTS	TRIGGER	FRAME	SAFETY FEATURES
137×37×185	95	0,80	9 × 19, 9 × 19 NATO, 380 Auto	15 (17), 15	Luminescent / Tritium	SA/DA	Fiberglass-reinforced polymer	Firing pin block, Decocker / Manual safety, Safety notch on the hammer
137×37×207	115	0,80	9 × 19, 9 × 19 NATO	15 (17)	Luminescent / Tritium	SA/DA	Fiberglass-reinforced polymer	Firing pin block, Decocker / Manual safety, Safety notch on the hammer

SUBMACHINE GUNS

Today's armed forces are faced with a multitude of threats that require a modern-day submachine gun like CZ's SCORPION EVO 3 Al. Its outstanding build quality, proven performance, and competitive price make it an ideal choice for those who require a firearm that can neutralize threats, while minimizing collateral damage.





SIMPLE AND

BLOWBACK SYSTEM

RELIABLE

CZSCORPION

EVO 3 A1

A light automatic firearm designed around our patented blowback design, which combines a robust, dynamic breech with a removable trigger housing. Unlike competing assault rifles, the CZ SCORPION EVO 3 Al submachine gun features a fire pin block for delivering an even higher level of safety. With the addition of sophisticated ergonomics, extreme accuracy in all modes of fire and proven reliability, it's the right choice for combat conditions around the world



OVERALL LENGTH WITH STOCK FOLDED / FULLY UNFOLDED-EXTENDED (mm)

420/625-675 ± 10

HEIGHT
WITHOUT MAGAZINE (mm)

(mm) OVERALL WIDTH WITH STOCK UNFOLDED/FOLDED (MM)

WEIGHT WITHOUT MAGAZINE (kg)

60/85 ± 5

2,60 ± 0,05

Flared and tapered magwell for maximum reloading speeds

Adjustable pistol grip radius for fine-tuning reach

Non-reciprocating charging handle with side-to-side swappable design

Folding, extandable polymer stock

Muzzle threads hidden under standard flash hider MIL-STD-1913 rails for mounting accessories

3



ASSAULT AND BATTLE RIFLES

CZ assault and battle rifles are among the highest performers in their class due to advanced CZ development and manufacturing processes, together with the ongoing feedback we receive from some of the world's most elite special units and armed forces.

Military professionals value their modern, comprehensive weapon platform designed to deliver high reliability, extreme accuracy and outstanding user comfort during high level combat operations and when faced with demanding environmental conditions Chambered in the powerful 5,56 × 45 NATO, 7,62 × 39 and 7,62 × 51 NATO cartridges they consistently hit targets at extended ranges and deliver high impact energy.







Adjustable non-reciprocating charging handle







Pistol grip with interchangeable backstraps and storage space



you're provided with a powerful weapon that's

during rapid firing.

compact and easy to operate, as well as accurate

TELESCOPIC STOCK

OVERALL LENGTH WITH WEIGHT WITHOUT MAGAZINE (kg) MAGAZINE CAPACITY STOCK FOLDED / FULLY HEIGHT WITH FOLDED IRON WIDTH WITH STOCK CALIBER MODEL UPPER RECEIVER BARREL LENGTH (mm) UNFOLDED-EXTENDED (mm) SIGHTS NO MAGAZINE (mm) UNFOLDED/FOLDED (mm) CZ BREN 2 - 8" 5,56 × 45 NATO 7075 T6 aluminum alloy 207 ± 1 505/684-733 ± 10 202 ± 5 80/104 ± 5 2,89 ± 0,05 CZ BREN 2 - 8" TELESCOPIC STOCK 7075 T6 aluminum alloy 207 ± 1 560/560-740 ± 10 202 ± 5 80 ± 5 3,08 ± 0,05 5,56 × 45 NATO CZ BREN 2 - 11" 5,56 × 45 NATO 30 7075 T6 aluminum alloy 280 ± 1 577/762-807 ± 10 202 ± 5 80/104 ± 5 2,98 ± 0,05 CZ BREN 2 - 14" 5,56 × 45 NATO 30 7075 T6 aluminum alloy 357 ± 1 657/840-884 ± 10 202 ± 5 80/104 ± 5 3,10 ± 0,05

*L*1



TELESCOPIC STOCK

A four-position telescopic stock is available with the 9" barrel version, which can be extended to its maximum length with a quick pull. As a result, you're provided with a powerful weapon that's compact and easy to operate, as well as accurate during rapid firing.

MODEL	CA
CZ BREN 2 - 9"	7,62
CZ BREN 2 - 9"	- — 7.62
TELESCOPIC STOCK	
CZ BREN 2 - 11"	7,62
CZ BREN 2 - 14"	- — 7.62
	,,5.

CALIBER	MAGAZINE CAPACITY	UPPER RECEIVER	BARREL LENGTH (mm)	S
7,62 × 39	30	7075 T6 aluminum alloy	227 ± 1	5
7,62 × 39	30	7075 T6 aluminum alloy	227 ± 1	5
7,62 × 39	30	7075 T6 aluminum alloy	280 ± 1	5
7,62 × 39	30	7075 T6 aluminum alloy	357 ± 1	6

OVERALL LENGTH WITH STOCK FOLDED / FULLY UNFOLDED-EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED/FOLDED (mm)	WEIGHT WITHOUT MAGAZINE (kg)
525/706-753 ± 10	202 ± 5	80/104 ± 5	2,84 ± 0,05
580/580-760 ± 10	202 ± 5	80 ± 5	3,03 ± 0,05
577/762-807 ± 10	202 ± 5	80/104 ± 5	2,89 ± 0,05
657/840-884 ± 10	202 ± 5	80/104 ± 5	3,00 ± 0,05





MODEL	CALIBER	MAGAZINE CAPACITY	UPPER RECEIVER	BARREL LENGTH (mm)	STOCK FOLDED / FULLY UNFOLDED-EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED/FOLDED (mm)	WEIGHT WITHOUT MAGAZINE (kg)
CZ BREN 2 BR - 16"	7,62 × 51 NATO	25	7075 T6 aluminum alloy	407 ± 1	735/925-995 ± 10	210 ± 5	80/110 ± 5	3,77 ± 0,05







CZ **807** 5,56 × 45 NATO

MODEL CZ 807 - 16"

CZ 807 - 16"

MAGAZINE CAPACITY CALIBER UPPER RECEIVER 5,56 × 45 NATO 7075 T6 aluminum alloy 408 ± 1 7075 T6 aluminum alloy 408 ± 1

OVERALL LENGTH WITH STOCK FOLDED / FULLY WIDTH WITH STOCK UNFOLDED/FOLDED (mm) HEIGHT WITH FOLDED IRON BARREL LENGTH (mm) UNFOLDED-EXTENDED (mm) SIGHTS NO MAGAZINE (mm) 688/872-919 ± 10 202 ± 5 78/102 ± 5 688/872-919 ± 10 78/102 ± 5

3,13 ± 0,05

WEIGHT WITHOUT MAGAZINE (kg)

3,05 ± 0,05

Advanced ergonomics with ambidextrous magazine release and fire mode selector



Rubber butt pad



Upper receiver is made from high quality aluminum alloy



Folding, extandable shoulder stock











Easy change of left/right barrel swivel direction for loading longer grenade rounds

 CALIBER
 CAPACITY
 FRAME
 BARREL LENGTH (mm)
 OVERALL LENGTH (mm)
 HEIGHT WITHOUT MAGAZINE (mm)
 WIDTH WITH STOCK UNFOLDED (mm)
 WEIGHT OF EMPTY WEAPON (kg)

 40 × 46
 1
 7075 T6 aluminum alloy
 250
 328 ± 5
 90 ± 5
 62 ± 5
 1,55 ± 0,05

 40 × 46
 1
 7075 T6 aluminum alloy
 250
 415/624 ± 5
 184 ± 5
 62/94 ± 5
 2,37 ± 0,05

Folding trigger guard for gloved shooting

Barrel cap prevents muzzle damage to maintain long-range firing accuracy



Separate carrier with folding, easily removable shoulder stock

MIL-STD-1913 mounting rail





























