

# WE DISTRIBUTE OUR PRODUCTS TO MORE THAN 100 COUNTRIES AROUND THE WORLD



The technical specifications provided are for orientation purposes only and may vary according to the specific configuration. The manufacturer reserves the right to make changes or modifications at its sole discretion.

### **CONTENTS**

| ABOUT CZ           | 5         |
|--------------------|-----------|
| PISTOLS            | 6         |
| CZ P-10 SERIES     | 8         |
| CZ P-07/09 SERIES  | 20        |
| SUB GUNS           | 28        |
| CZ SCORPION EVO 3  | 30        |
| SELECT FIRE RIFLES | 34        |
| CZ BREN 2 SERIES   | 36        |
| CZ BREN 2 BR       | 44        |
| SNIPER RIFLE       | 48        |
| CZ TSR             | 50        |
| GRENADE LAUNCHER   | <b>52</b> |
| CZ 805 G1          | 54        |



## EQUIPPING THE ARMED FORCES

SINCE 1936

CZ (Ceskazbrojovka) is a premier Czech manufacturer of precision-engineered firearms. Founded in 1936 in the city of Uhersky Brod, CZ became a joint stock company in 1992, quickly growing into one of the Czech Republic's largest and most influential global exporters.

Thanks to its most precious resource, a highly skilled and motivated work force using state-of-the-art technologies, CZ has established itself as a global leader in one of the world's most challenging manufacturing fields - military-grade firearms.

Contributing to CZ's global success is its commitment to the development and use of some of the world's most advanced manufacturing equipment and processes, which include robotics, fully-automated turning and milling centers, and material coatings that significantly extend the durability and life cycle of its products.

Ultimately, CZ is able to consistently produce world-class products due to stringent quality controls that hold its people, machines and processes to the highest global manufacturing standards. This is achieved by implementing hundreds of inspections throughout the manufacturing process, which include lasers that measure tolerances to a hundredth of a millimeter. CZ's factory in Uhersky Brod, Czech Republic, is ISO 9001 certified.



#### PISTOLS

For more than 60 years, Ceska zbrojovka has been developing and producing semi-automatic pistols for the military and other armed forces, with its models among the most highly regarded on the world market.

The current range of CZ pistols for the armed forces consists of the striker-fired CZ P-10 series and hammer-fired CZ P-07/09 series. Both feature fiberglass-reinforced polymer frames for lightweight carry and extreme durability in adverse weather conditions. Selected models allow for the easy mounting of a red dot sight and/or suppressor. A black finish comes standard on all pistols, but the popular flat dark earth color scheme is also available on specific models.

extensive experience in the armed forces. Their ongoing work is enhanced by CZ's world-class research and development facilities, which are powered by ultramodern production and design tools. Consistent feedback from end-users around the world ensures that CZ pistols are created in exact accordance with their specific wants and needs.



## CZP-10 SERIES

A modern, large-capacity striker-fired pistol built to withstand the rigors of military use

The highly advanced CZ P-10 is the first choice of armed forces and police agencies across the globe, due to its leading ergonomics, high reliability and extreme accuracy. From its inception, the CZ P-10 was designed to take on the most demanding missions and withstand the extreme range of adverse weather conditions.

POLIC

The CZ P-10 series is available in all sizes - full-size, semi-compact, compact, subcompact and micro.


## MAIN FEATURES

Swappable magazine release is left-handed friendly

Three sizes of interchangeable backstraps to modify grip and finger reach



Front and rear cocking serrations for comfortable and safe handling









Flat ambidextrous slide stop (except CZ P-10 M)

**FULL-SIZE** 

FULL-SIZE

*CZ P-10 F* 

9 × 19 | 19 9 × 19 NATO | 19 9 × 21 | 19

The CZ P-10 F provides users with a large 19+1 firing capacity. Shooting accuracy is also increased due to a longer sight radius.

**FULL-SIZE** 

CZ **P-10 F** OR

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-10 F OR (Optics-Ready) features a modified slide for quick and easy attachment of a red dot sight.

**FULL-SIZE** 

CZ **P-10 F** SR

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-10 F SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.

CZ **P-10 F** OR SR

9 × 19 | 19 9 × 19 NATO | 19

**FULL-SIZE** 

The CZ P-10 F OR SR
(Optics-Ready-Suppressor-Ready)
features both a modified slide for
attaching a red dot sight and extended
barrel with 1/2"×28 UNEF – 3A threads
for mounting a suppressor.

The 45 Auto model is the largest caliber available in the CZ P-10 series and features a 13+1 capacity, which is impressive for its category. Even with the additional power it provides compared to the 9mm version, there is just a small increase in size and weight.

| ODEL             | CALIBER                       | MAGAZINE<br>CAPACITY |
|------------------|-------------------------------|----------------------|
| Z P-10 F         | 9 × 19, 9 × 19 NATO<br>9 × 21 | 19/10, 19,<br>19     |
| Z P-10 F OR      | 9 × 19, 9 × 19 NATO           | 19                   |
| Z P-10 F SR      | 9 × 19, 9 × 19 NATO           | 19                   |
| Z P-10 F OR SR   | 9 × 19, 9 × 19 NATO           | 19                   |
| Z P-10 F 45 Auto | 45 Auto                       | 13                   |

| WEIGHT<br>with empty<br>magazine (g) | DIMENSIONS<br>L × W × H (mm) | BARREL<br>LENGTH<br>(mm) | SIGHTS      | THREAD            | TRIGGER PULL (N) | TRIGGER<br>TRAVEL (mm) | TRIGGER<br>RESET<br>(mm) | FRAME                         | SAFETY FEATURES                                      |
|--------------------------------------|------------------------------|--------------------------|-------------|-------------------|------------------|------------------------|--------------------------|-------------------------------|--|
| 810                                  | 203 × 32 × 150               | 114                      | Luminescent | No                | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |
| 810                                  | 203 × 32 × 153               | 114                      | Luminescent | No                | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |
| 830                                  | 225 × 32 × 155               | 134                      | Tritium     | 1/2"×28 UNEF - 3A | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |
| 830                                  | 225 × 32 × 153               | 134                      | Luminescent | 1/2"×28 UNEF - 3A | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |
| 930                                  | 207 × 34 × 151               | 114                      | Luminescent | No                | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |

## *CZ P-10 SC*

9 × 19 | 15 9 × 19 NATO | 15



A fiber-reinforced polymer frame pistol that provides the concealability of a compact, with the increased shooting accuracy of a full-sized barrel.



SEMI-COMPACT

CZ **P-10 SC** OR

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-10 SC OR (Optics-Ready) pistol features a modified slide for quick and easy attachment of a red dot sight.

SEMI-COMPACT

CZ **P-10 SC** SR

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-10 SC SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.

SEMI-COMPACT

CZ **P-10 SC** OR SR

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-10 SC OR SR (Optics-Ready-Suppressor-Ready) features both a modified slide for attaching a red dot sight and an extended barrel with 1/2"×28 UNEF – 3A threads for mounting a suppressor.

| DEL           | CALIBER             | MAGAZINE<br>CAPACITY |
|---------------|---------------------|----------------------|
| P-10 SC       | 9 × 19, 9 × 19 NATO | 15                   |
| P-10 SC OR    | 9 × 19, 9 × 19 NATO | 15                   |
| P-10 SC SR    | 9 × 19, 9 × 19 NATO | 15                   |
| P-10 SC OR SR | 9 × 19, 9 × 19 NATO | 15                   |

| WEIGHT<br>with empty<br>magazine (g) | DIMENSIONS<br>L × W × H (mm) | BARREL<br>LENGTH<br>(mm) | SIGHTS      | THREAD            | TRIGGER PULL (N) | TRIGGER<br>TRAVEL (mm) | TRIGGER<br>RESET<br>(mm) | FRAME                         | SAFETY FEATURES                                      |
|--------------------------------------|------------------------------|--------------------------|-------------|-------------------|------------------|------------------------|--------------------------|-------------------------------|--|
| 790                                  | 199 × 32 × 132               | 114                      | Luminescent | No                | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |
| 790                                  | 199 × 32 × 135               | 114                      | Luminescent | No                | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |
| 810                                  | 221 × 32 × 137               | 134                      | Tritium     | 1/2"×28 UNEF - 3A | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |
| 810                                  | 221 × 32 × 135               | 134                      | Luminescent | 1/2"×28 UNEF - 3A | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |

9 × 19 | 15 9×19 NATO | 15 9×21 | 15 380 Auto | 15



The CZ P-10 C features downsized dimensions, an innovative design and large firing capacity. It's the perfect choice for missions that require high accuracy, superior ergonomics and rugged reliability.



СОМРАСТ

CZ **P-10 C** OR

9 × 19 | 15 9 × 19 NATO | 15



The P-10 C OR (Optics-Ready) features a modified slide for mounting a red dot sight.

COMPACT

*CZ* **P-10 C** *SR* 

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-10 C SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.

COMPACT

CZ **P-10 C** OR SR

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-10 C OR SR (Optics-Ready, Suppressor-Ready) features both a modified slide for attaching a red dot sight and an extended barrel with 1/2"×28 UNEF – 3A threads for mounting a suppressor.

| DDEL         | CALIBER                                  | MAGAZINE<br>CAPACITY |
|--------------|--|----------------------|
| P-10 C       | 9 × 19, 9 × 19 NATO,<br>9 × 21, 380 Auto | 15                   |
| P-10 C OR    | 9 × 19, 9 × 19 NATO                      | 15                   |
| P-10 C SR    | 9 × 19, 9 × 19 NATO                      | 15                   |
| P-10 C OR SR | 9 × 19, 9 × 19 NATO                      | 15                   |

| WEIGHT<br>with empty<br>magazine (g) | DIMENSIONS<br>L × W × H (mm) | BARREL<br>LENGTH<br>(mm) | SIGHTS      | THREAD            | TRIGGER PULL (N) | TRIGGER<br>TRAVEL (mm) | TRIGGER<br>RESET<br>(mm) | FRAME                         | SAFETY FEATURES                                      |
|--------------------------------------|------------------------------|--------------------------|-------------|-------------------|------------------|------------------------|--------------------------|-------------------------------|--|
| 740                                  | 187 × 32 × 132               | 102                      | Luminescent | No                | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |
| 740                                  | 187 × 32 × 135               | 102                      | Luminescent | No                | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |
| 760                                  | 209 × 32 × 137               | 122                      | Tritium     | 1/2"×28 UNEF - 3A | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |
| 760                                  | 209 × 32 × 135               | 122                      | Luminescent | 1/2"×28 UNEF - 3A | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |

*CZ P-10 S* 

9 × 19 | 12 9 × 19 NATO | 12

The CZ P-10 S's subcompact dimensions make it an ideal choice for concealed carry or as a back-up gun. Despite its smaller size, it provides the same shooting comfort and userfriendliness as the compact version. Plenty of firepower is on hand, with a standard 12-round 9 × 19 magazine that can be extended with a +2 base plate.

SUBCOMPACT

CZ **P-10 S** OR

9 × 19 | 12 9 × 19 NATO | 12



The CZ P-10 S OR (Optics-Ready) pistol features a modified slide for quick and easy attachment of a red dot sight.

MICRO

*CZ* **P-10 M** 

9 × 19 | 7



Despite its radical miniaturization, the CZ P-10 M retains outstanding ergonomics and the superb trigger found in all CZ P-10 series pistols. Its dimensions have been optimized for comfortable concealed carry, while providing a magazine capacity of 7+1 in 9 × 19.




| 10DEL       | CALIBER             | MAGAZINE<br>CAPACITY |
|-------------|---------------------|----------------------|
| Z P-10 S    | 9 × 19, 9 × 19 NATO | 12                   |
| Z P-10 S OR | 9 × 19, 9 × 19 NATO | 12                   |
| Z P-10 M    | 9 × 19              | 7                    |

| WEIGHT<br>with empty<br>magazine (g) | DIMENSIONS<br>L × W × H (mm) | BARREL<br>LENGTH<br>(mm) | SIGHTS      | THREAD | TRIGGER PULL (N) | TRIGGER<br>TRAVEL (mm) | TRIGGER<br>RESET<br>(mm) | FRAME                         | SAFETY FEATURES                                      |
|--------------------------------------|------------------------------|--------------------------|-------------|--------|------------------|------------------------|--------------------------|-------------------------------|--|
| 710                                  | 170 × 32 × 116               | 89,5                     | Luminescent | No     | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |
| 710                                  | 170 × 32 × 119               | 89,5                     | Luminescent | No     | 25±4             | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |
| 575                                  | 160,5 × 25,5 × 112           | 85                       | Luminescent | No     | 52               | 9±1                    | 4                        | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety                   |



## MAIN FEATURES

OMEGA trigger mechanism with smooth travel and easy reach in DA mode









9 × 19 | 19 9 × 19 NATO | 19



The CZ P-09 is a highly precise, large capacity service pistol designed to function with extreme reliability under the most demanding environmental conditions.



#### **FULL-SIZE**

CZ **P-09** SR

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-09 SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.



| MODEL      | CALIBER             | MAGAZINE<br>CAPACITY |
|------------|---------------------|----------------------|
| CZ P-09    | 9 × 19, 9 × 19 NATO | 19                   |
| CZ P-09 SR | 9 × 19, 9 × 19 NATO | 19                   |

| th empty<br>agazine (g) | DIMENSIONS<br>L × W × H (mm) | LENGTH<br>(mm) | SIGHTS      | THREAD            | TRIGGER PULL (N) | TRIGGER<br>TRAVEL (mm) | RESET<br>(mm) | FRAME                         | SAFETY FEATURES   |
|-------------------------|------------------------------|----------------|-------------|-------------------|------------------|------------------------|---------------|-------------------------------|---|
| 0                       | 208 × 37 × 148               | 115            | Luminescent | No                | SA: 21 DA: 44±2  | SA: 10±1 DA: 13±2      | 7±1           | Fiberglass-reinforced polymer | Manual safety, Safety notch on the hammer, Firing pin b |
| 0                       | 230 × 37 × 148               | 135            | Luminescent | 1/2"×28 UNEF - 3A | SA: 21 DA: 44±2  | SA: 10±1 DA: 13±2      | 7±1           | Fiberglass-reinforced polymer | Manual safety, Safety notch on the hammer, Firing pin b |



A compact SA/DA pistol primarily designed for armed forces concealed carry, it features an external hammer and durable, fiberglass-reinforced polymer frame. This extremely popular model is remarkably accurate and reliable in all situations.



COMPACT

CZ **P-07** SR

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-07 SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.

#### **FDE On Demand**

CZ P-07 and CZ P-09 models are available with fiberglass-reinforced polymer frames finished in the flat dark earth color scheme.

| ODEL   | CALIBER                          | MAGAZINE<br>CAPACITY |  |  |
|--------|----------------------------------|----------------------|--|--|
| ? P-07 | 9 × 19, 9 × 19 NATO,<br>380 Auto | 15                   |  |  |
|        | 9 × 19, 9 × 19 NATO              | 15                   |  |  |

| npty<br>ne (g) | DIMENSIONS<br>L × W × H (mm) | LENGTH<br>(mm) | SIGHTS      | THREAD            | TRIGGER PULL (N) |
|----------------|------------------------------|----------------|-------------|-------------------|------------------|
|                | 185 × 37 × 130               | 95             | Luminescent | No                | SA: 21 DA: 44±2  |
|                | 207 × 37 × 130               | 115            | Luminescent | 1/2"×28 UNEF - 3A | SA: 21 DA: 44±2  |



#### SUB GUNS

The CZ Scorpion EVO 3 platform is a highly accurate and proven performer across a range of demanding situations. Its outstanding build quality and advanced ergonomics ensure flawless operation and handling in the field. A suppressor, red dot sight, flashlight, laser and interchangeable backstraps can all be easily attached for maximum efficiency and user comfort.





WEIGHT WITHOUT

Iron, Adjustable 2,61 ± 0,05

OVERALL LENGTH WITH HEIGHT WITH STOCK FOLDED / UNFOLDED- FOLDED IRON SIGHTS,

NO MAGAZINE (mm)

WIDTH WITH STOCK UNFOLDED / PULL FOLDED (mm)

60 / 82 ± 5

PULL WEIGHT (N) FRAME

Fiberglass-reinforced polymer

Adjustable pistol grip radius Flared and tapered magwell

for maximum reloading speeds

for fine-tuning reach

Non-reciprocating charging handle with side-to-side swappable design

Folding, extendable fiberglass-reinforced polymer stock

Muzzle threads hidden under standard flash hider

420 / 625-675 ± 10

MIL-STD-1913 rails for mounting accessories



#### SELECT FIRE RIFLES

CZ select fire rifles are among the highest performers in their class due to advanced CZ development and manufacturing processes, together with the ongoing feedback we receive from some of the world's most elite special units and armed forces.

Military professionals value their modern, comprehensive platform designed to deliver high reliability, extreme accuracy and outstanding user comfort. Models are available in 5,56 × 45 NATO, 7,62 × 39 and 7,62 × 51 NATO chamberings.







Adjustable non-reciprocating charging handle





Four MIL-STD-1913 mounting rails Folding, extendable polymer stock

Pistol grip with interchangeable backstraps and storage space



position telescopic stock that can be extended to

TELESCOPIC STOCK

| its maximum length with a quick pull. As a result,  |                                       |
|---|---------------------------------------|
| you're provided with a powerful firearm that's compact and easy to operate, as well as accurate | MODEL CA                              |
| during rapid firing.  | <b>CZ BREN 2 - 8"</b> 5,5             |
|   | CZ BREN 2 - 8"  TELESCOPIC STOCK  5,5 |
|   | C7 BREN 2 - 11" 55                    |

|   | CALIBER        |  |
|---|----------------|--|
|   | 5,56 × 45 NATO |  |
| _ | 5,56 × 45 NATO |  |
| _ | 5,56 × 45 NATO |  |
| _ | 5,56 × 45 NATO |  |

CZ BREN 2 - 14"

| TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | BARREL<br>LENGTH ("/mm) | THREAD   | SIGHTS                    | WEIG<br>MAG |
|--------------------------------------|----------------------|-------------------------|----------|---------------------------|-------------|
| 1:7 / 6                              | 30                   | 8/207±1                 | M14×1 LH | Iron, Folding, Adjustable | 2,89        |
| 1:7 / 6                              | 30                   | 8 / 207 ± 1             | M14×1 LH | Iron, Folding, Adjustable | 3,08        |
| 1:7 / 6                              | 30                   | 11 / 280 ± 1            | M14×1 LH | Iron, Folding, Adjustable | 2,99        |
| 1:7/6                                | 30                   | 14 / 357 ± 1            | M14×1 LH | Iron, Folding, Adjustable | 3,10 ±      |

| OVERALL LENGTH WITH<br>STOCK FOLDED / UNFOLDED-<br>-FULLY EXTENDED (mm) | HEIGHT WITH FOLDED<br>IRON SIGHTS,<br>NO MAGAZINE (mm) | WIDTH WITH<br>STOCK UNFOLDED /<br>FOLDED (mm) | TRIGGER<br>PULL<br>WEIGHT (N) | UPPER RECE   |
|---|--|---|-------------------------------|--------------|
| 505 / 684-733 ± 10  | 202 ± 5  | 80 / 104 ± 5                                  | 25±5                          | 7075 T6 alum |
| 560-740 ± 10  | 202 ± 5  | 80 ± 5  | 25±5                          | 7075 T6 alum |
| 577 / 762-807 ± 10  | 202 ± 5  | 80 / 104 ± 5                                  | 25±5                          | 7075 T6 alum |
| 657 / 840-884 ± 10  | 202 ± 5  | 80 / 104 ± 5                                  | 25±5                          | 7075 T6 alum |



you're provided with a powerful firearm that's compact and easy to operate, as well as accurate

during rapid firing.

TELESCOPIC STOCK

| MODEL                              | CALIBER   |
|------------------------------------|-----------|
| CZ BREN 2 - 9"                     | 7,62 × 39 |
| CZ BREN 2 - 9"<br>TELESCOPIC STOCK | 7,62 × 39 |
| CZ BREN 2 - 11"                    | 7,62 × 39 |
| CZ BREN 2 - 14"                    | 7,62 × 39 |

| /IST RATE /<br>IMBER<br>GROOVES | MAGAZINE<br>CAPACITY | BARREL<br>LENGTH ("/mm) | THREAD   | SIGHTS                    |
|---------------------------------|----------------------|-------------------------|----------|---------------------------|
| 45 / 4                          | 30                   | 9 / 227 ± 1             | M14×1 LH | Iron, Folding, Adjustable |
| 45/4                            | 30                   | 9 / 227 ± 1             | M14×1 LH | Iron, Folding, Adjustable |
| 45 / 4                          | 30                   | 11 / 280 ± 1            | M14×1 LH | Iron, Folding, Adjustable |
| 45 / 4                          | 30                   | 14 / 357 ± 1            | M14×1 LH | Iron, Folding, Adjustable |

WEIGHT WITHOUT MAGAZINE (kg)

2,85 ± 0,05

3,03 ± 0,05 2,90 ± 0,05 3,01 ± 0,05

| OVERALL LENGTH WITH<br>STOCK FOLDED / UNFOLDED-<br>-FULLY EXTENDED (mm) | HEIGHT WITH FOLDED<br>IRON SIGHTS,<br>NO MAGAZINE (mm) | WIDTH WITH<br>STOCK UNFOLDED /<br>FOLDED (mm) | TRIGGER<br>PULL<br>WEIGHT (N) | UPPER RECEIVER   |  |
|---|--|---|-------------------------------|------------------|--|
| 525 / 706-753 ± 10  | 202 ± 5  | 80 / 104 ± 5                                  | 25±5                          | 7075 T6 aluminum |  |
| 580-760 ± 10  | 202 ± 5  | 80 ± 5  | 25±5                          | 7075 T6 aluminum |  |
| 577 / 762-807 ± 10  | 202 ± 5  | 80 / 104 ± 5                                  | 25±5                          | 7075 T6 aluminum |  |
| 657 / 840-884 ± 10  | 202 ± 5  | 80 / 104 ± 5                                  | 25±5                          | 7075 T6 aluminum |  |





| MODEL              | CALIBER       | TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | BARREL<br>LENGTH ("/mm) | THREAD | SIGHTS                  | WEIGHT WITHOUT<br>MAGAZINE (kg) | STOCK FOLDED / UNFOLDED- | HEIGHT WITH FOLDED<br>IRON SIGHTS,<br>NO MAGAZINE (mm) | STOCK UNFOLDED / |      | UPPER RECEIVER         |
|--------------------|---------------|--------------------------------------|----------------------|-------------------------|--------|-------------------------|---------------------------------|--------------------------|--|------------------|------|------------------------|
| 77 RDFN 2 RD - 16" | 762 x 51 NATO | 1:11 / 4                             | 25                   | 16 / 407 + 1            | M15×1  | Iron Folding Adjustable | 378 + 0.05                      | 735 / 925-995 + 10       | 210 + 5  | 80 / 110 + 5     | 16+4 | 7075 T6 aluminum allov |







Bolt handle designed for reliable and fast reloading, even with a mounted riflescope

Helical bolt fluting helps clear dirt and debris 10-round 308 Win. magazine





HEIGHT WITH FOLDED

REL

WEIGHT OF EMPTY OVERALL LENGTH WITH STOCK IRON SIGHTS, WIDTH WITH STOCK TRIGGER PULL

TH ("/mm) SIGHTS WEAPON (kg) FOLDED / UNFOLDED (mm) NO MAGAZINE (mm) UNFOLDED / FOLDED (mm) WEIGHT (N) FRAME

62/94±5

Folding trigger guard for gloved shooting

Easy change of left/right barrel swivel direction for loading longer grenade rounds

Barrel cap prevents muzzle damage to maintain long-range firing accuracy

CZ 805 G1



2,37 ± 0,05

Iron, Adjustable

415 / 624 ± 5

Separate carrier with folding, easily removable shoulder stock

MIL-STD-1913 mounting rail

7075 T6 aluminum alloy

