

PRODUCT CATALOGUE

WE DISTRIBUTE OUR PRODUCTS TO MORE THAN 100 COUNTRIES AROUND THE WORLD



The technical specifications provided are for orientation purposes only and may vary according to the specific configuration. The manufacturer reserves the right to make changes or modifications at its sole discretion.

CONTENT

CENTERFIRE RIFLES CZ 600 SERIES CZ TSR 22 **RIMFIRE RIFLES** 26 CZ 457 SERIES 28 CZ 512 SERIES 46 SHOTGUNS 50 **CZ-USA FIELD SPORTS SERIES** 52 PISTOLS 56 CZ P-10 SERIES 58 CZ P-07/09 SERIES 72 **CZ TS 2 SERIES** 78 **CZ SHADOW 2 SERIES** 84 CZ 75 SERIES 92 SEMI-AUTOMATIC RIFLES / CARBINES 98 **CZ SCORPION EVO 3 SI SERIES** 100 CZ BREN 2 Ms SERIES 104 108 ACCESSORIES



Dear Customers, Business Partners and Supporters of the CZ brand,

As you've just opened our new 2022 product catalogue, I would like to take this opportunity to share some exciting news with you. Ceska zbrojovka is part of Colt CZ Group SE, which, together with its subsidiaries, is one of the world's leading manufacturers of small arms for the armed forces, personal defense, hunting and shooting sports. In 2021, the famous American brand COLT, along with COLT Canada, was incorporated into the group. CZ and COLT are the main pillars of the group. The synergy of these companies, and their mutually shared know-how, are a guarantee of further growth of all companies in the group, as well as the group itself as a whole.

This year is marked by a complete overhaul of our centerfire rifle product line. As you go through the catalogue, you will be greeted by our brand new range of CZ 600 centerfire rifles, which replaces our previous centerfire rifle lines - the CZ 527 and CZ 557.

The CZ 600 has a unique, highly modular design and comes with a number of patented features. All key characteristics have been improved, such as reliability, safety, accuracy, shooting comfort, durability and ergonomics. We offer models in a wide range of popular calibers for hunting, shooting sports and hobby shooting.

The CZ 600 ALPHA is suitable for use in inclement weather. The CZ 600 RANGE is designed for highly precise shooting at medium to long distances. The CZ 600 ERGO provides maximum shooting comfort. The CZ 600 LUX features a classic hunting rifle design. And finally, the CZ 600 TRAIL is in the modern style of a compact hobby rifle.

You can also look forward to a presentation of our complete product portfolio in the catalogue - pistols, rimfire rifles, shotguns, semi-automatic rifles and a wide range of accessories.

I'm confident that you'll be delighted with our products and will find something that perfectly fulfills your wants and needs. Thank you for your support and I wish you luck in choosing your new CZ firearm. And if you're buying your first CZ gun, I'm honored to welcome you to the worldwide club of CZ customers and supporters!

Jan Zajíc

CEO and Chairman of the Board of Directors Ceska zbrojovka a.s.



CENTERFIRE RIFLES

CZ rifles for hunting and sport are traditionally among the best long firearms available on the world market. As with all our products, the CZ brand is synonymous with ingenious design, reliability, accuracy and first-rate quality at an affordable price. In 2022, Ceska zbrojovka introduces the brand new CZ 600 series. Its unique, highly modular design comes with a number of patented features that improve allkey characteristics -from reliability and durability to ergonomics and shooting comfort to safety and accuracy.

THE CZ 600 SERIES **FEATURES A PATENT PROTECTED BOLT DESIGN THAT ENSURES 100% USER-CONTROLLED** FEED IN ALL SHOOTING **POSITIONS**, AND EVEN UNDER THE MOST DEMANDING CONDITIONS

Other benefits include a patented, ergonomically designed vertical safety with completely silent operation, an exceptional magazine that users can select to function as detachable or locked, an extremely durable finish, and easy disassembly that requires no manipulation of the trigger. Models for hunting, sport and hobby are available in a wide range of popular calibers.

Main features of the CZ 600 series

A patented, easy-to-access vertical safety at the top of the grip is released by pressing down and allows for completely silent operation.

UNIQUE SAFETY

PATENTED TRIGGER MECHANISM

A newly developed, user adjustable single- or double-stage trigger mechanism with four levels of pull weight that can be adjusted without removing the receiver from the stock



The CZ 600 series combines the best qualities of controlled feed and push feed systems. This simple and reliable patented design delivers 100% user controlled feed in all shooting positions, and even under the most demanding conditions.

LOCKABLE MAGAZINE

A detachable, double-stack magazine with a "push n' click" loading operation contributes to an exceptionally smooth and reliable feeding of rounds. The magazine is easily locked by sliding the magazine release up. When the magazine lock is activated, the firearm changes to a fixed magazine configuration.



CHANGE OF CALIBERS

Thanks to the modular design of the CZ 600 series, any authorized CZ service center can convert your rifle to another caliber from the range for a given receiver size with guaranteed shot retention after the first cold shot.

SUPERIOR QUALITY BARREL

ODE IN CZECH REPUBL

High-precision barrels with caliber-optimized lengths are cold hammer forged using CZ technology. The barrel features a threaded muzzle for mounting accessories.

EXTREME ACCURACY

The ALPHA, LUX and ERGO models are guaranteed to shoot sub-MOA at 100 m for 3 shot groups, and the RANGE model shoots sub-0.75 MOA for 5 shot groups. The compact TRAIL version is guaranteed to shoot 2 MOA. All models are tested using match-grade factory ammunition.

SHORT ROTATION OF BOLT HANDLE

Due to the use of a locking system, the bolt handle rotates 60° for quick and comfortable reloading without the risk of hitting the scope.

SAFE DISASSEMBLY

A spring-loaded button on the right side of the receiver allows for easy removal of the bolt without manipulating the trigger.

EXTREMELY DURABLE FINISH

REPUBLIC, CZ

F156805

The surface of metal components in the CZ 600 series comes with CZ's new BobOx chemical heat treatment, which gives it a hard, durable finish that resists corrosion.

STANDARDIZED MOUNTING INTERFACE

CZ 600 series receivers are equipped with an integrated Weaver rail (aluminum) or Remington 700 type mounting interface (steel).

HIGHLY DURABLE RECEIVER

All CZ 600 series receivers are manufactured from durable aluminum or steel and come with a guaranteed service life of 20,000 shots.





CZ 6	00	LU	X	NEW																		
	5 308 Win.					Mag. 3					FISASO											I MILTES
	CE The stoo	newest, cen ck is the CZ 6	i RE RIF nterfire hunti 500 LUX. Its k	LE ng rifle from parrel feature	es mechanica	aditional, Eu Il, fiber optic	uropean-style c front and re or mounting c	ar sights.						0								CENTERFIRE
MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm	BARREL 1) PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE					100		
CZ 600 LUX 223 Rem.	1:9/6	5	3,2	997	20/508	Light	Yes	M15×1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	I (mini)							C. S.S.S.S.
CZ 600 LUX 308 Win.	1:10 / 4	5	3,8	1040	20/508	Light	Yes	M15×1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	II (medium)							City
CZ 600 LUX 30-06 Spring.	1:10 / 4	5	3,7	1053	20/508	Light	Yes	M15×1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	III (long)				and the second	Prink -		Altert
CZ 600 LUX 8 × 57 IS CZ 600 LUX 300 Win. Mag.	1:9,5 / 4	3	3,6 3,9	1053	20/508 24/610	Light Light	Yes	M15×1 M15×1	Walnut	Oil	Yes	370 370	Single-Stage, Adjustable Single-Stage, Adjustable	6-13,5 6-13,5	III (long)		the particular			A CALLER		77
52 000 Lox 300 With Mdg.	1.107 *	5	5,5	100	2700	Light	105	1010-1	Wantac	0.1	105	5.0	Single Stage, Adjustable	0.0,0	(10119)		1					

CZ 600 ALPHA NEW

223 Rem. 5 7,62 × 39 5 308 Win. 5 6,5 Creedmoor 5 6 mm Creedmoor 5 6,5 PRC 3 30-06 Spring. 5 8 × 57 IS 5 300 Win. Mag. 3

DURABLE RIFLE FOR EVERYDAY USE

The CZ 600 ALPHA comes with a fiber-reinforced polymer stock and semi-heavy barrel. Optics can be mounted on the Weaver rail integrated on the durable aluminum receiver. Easy maintenance makes this model particularly well suited for those who use their rifle on a daily basis and deeply value durability and reliability, regardless of inclement weather.

MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600 ALPHA 223 Rem.	1:7 / 6	5	3,0	1096	24/610	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	I (mini)
CZ 600 ALPHA 7,62 × 39	1:9,5 / 4	5	2,5	943	18/457	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	I (mini)
CZ 600 ALPHA 308 Win.	1:10 / 4	5	3,2	1020	20/508	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ALPHA 6,5 Creedmoor	1:7 / 6	5	3,4	1071	22/559	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ALPHA 6 mm Creedmoo	or 1:7/6	5	3,5	1071	22/559	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ALPHA 6,5 PRC	1:7/6	3	3,4	1071	24/610	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ALPHA 30-06 Spring.	1:10 / 4	5	3,3	1033	20/508	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 ALPHA 8 × 57 IS	1:9,5 / 4	5	3,3	1033	20/508	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 ALPHA 300 Win. Mag.	1:10 / 4	3	3,5	1135	24/610	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	III (long)





223 Rem. | 5 308 Win. | 5 6,5 Creedmoor | 5 30-06 Spring. | 5 8 × 57 IS | 5 300 Win. Mag. | 3



CENTERFIRE RIFLE WITH ERGONOMIC THUMBHOLE STOCK

A model refined for the back-country, the CZ 600 ERGO comes standard with a light profile barrel and an ergonomic, CZ-designed fiber-reinforced polymer stock with a distinctive thumbhole style pistol grip that delivers both comfort and control. All gripping surfaces feature padded inlays. The CZ 600 ERGO has a guaranteed, factory-tested sub-MOA at 100 meters (three-shot groups with match-grade factory ammunition).

MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER
CZ 600 ERCO 223 Rem.	1:9 / 6	5	2,6	1013	20/508	Light	No	M15×1	Polymer	Soft-touch	No	370	Single-Stage, Adjustable
CZ 600 ERGO 308 Win.	1:10 / 4	5	2,9	1038	20/508	Light	No	M15×1	Polymer	Soft-touch	No	370	Single-Stage, Adjustable
CZ 600 ERCO 6,5 Creedmoor	1:7 / 4	5	3,0	1089	22/559	Light	No	M15×1	Polymer	Soft-touch	No	370	Single-Stage, Adjustable
CZ 600 ERCO 30-06 Spring.	1:10 / 4	5	2,9	1052	20/508	Light	No	M15×1	Polymer	Soft-touch	No	370	Single-Stage, Adjustable
CZ 600 ERGO 8 × 57 IS	1:9,5 / 4	5	2,9	1052	20/508	Light	No	M15×1	Polymer	Soft-touch	No	370	Single-Stage, Adjustable
CZ 600 ERGO 300 Win. Mag.	1:10 / 4	3	3,1	1154	24/610	Light	No	M15×1	Polymer	Soft-touch	No	370	Single-Stage, Adjustable

	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
, Adjustable	6-13,5	l (mini)
, Adjustable	6-13,5	II (medium)
, Adjustable	6-13,5	II (medium)
, Adjustable	6-13,5	III (long)
, Adjustable	6-13,5	III (long)

III (long)

6-13,5

.







MODEL	NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER
CZ 600 RANGE 308 Win.	1:10 / 4	5	4,6	1140	24/610	Heavy	No	M18×1	Laminated Wood	Varnish	Adjustable	370	Single-Stage
CZ 600 RANGE 6 mm Creedmoo	or 1:7/6	5	4,7	1140	24/610	Heavy	No	M18×1	Laminated Wood	Varnish	Adjustable	370	Single-Stage



223 Rem. | 10 7,62 × 39 | 10



stock and CZ BREN 2 style controls, the CZ 600 TRAIL is available in the popular 223 Rem. and 7,62 × 39 calibers. It's a perfect choice

for hobby shooters.

MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEICHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	1ST TRIGGER PULL WEIGHT (N)	2ND TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600 TRAIL 223 Rem.	1:7 / 6	10	2,8	690-890	16/412	Semi-Heavy	No	M15×1	Polymer	-	Yes	143-347	Double-Stage, Adjustable	4-6	9,5-17	I (mini)
CZ 600 TRAIL 7,62 × 39	1:9,5 / 4	10	2,8	690-890	16/412	Semi-Heavy	No	M15×1	Polymer	-	Yes	143-347	Double-Stage, Adjustable	4-6	9,5-17	I (mini)





SPORT SPECIAL

The CZ TSR sport special is based on the CZ 557 series. Chambered in a proven, high-performance caliber, it's optimized for highly precise, long-range shooting. The thick-walled, cold hammer forged barrel is guaranteed for a minimum of 10,000 shots with an accuracy of up to 1 MOA. This advanced and extremely reliable bolt-action rifle can be easily customized to each user's requirements and preferences due to the extensive use of STANAG 4694 mounting rails, as well as a number

MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH WITH STOCK FOLDED / UNFOLDED (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER		2ND TRIGGER PULL WEIGHT (N)
CZ TSR	308 Win.	1:11	10	6,3	931/1188±10	26/660	Heavy	No	M18×1	Muzzle Brake	7075 T6 Aluminum Alloy	Anodized	Adjustable	363-393	Double-Stage, Adjustable	3-5	10-20



...

of adjustable features. Its uniquely designed stock folds to the left or right side of the firearm for convenient transport. A further benefit is an adjustable pistol grip with interchangeable backstraps and storage space.

600)

MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	1ST TRIGGER PULL WEIGHT (N)	2ND TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600 LUX 223 Rem.	1:9/6	5	3,2	997	20/508	Light	Yes	M15×1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	_	I (mini)
CZ 600 LUX 308 Win.	1:10 / 4	5	3,8	1040	20/508	Light	Yes	M15×1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	-	II (medium)
CZ 600 LUX 30-06 Spring.	1:10 / 4	5	3,7	1053	20/508	Light	Yes	M15×1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	_	III (long)
CZ 600 LUX 8 × 57 IS	1:9,5 / 4	5	3,6	1053	20/508	Light	Yes	M15×1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	-	III (long)
CZ 600 LUX 300 Win. Mag.	1:10 / 4	3	3,9	1155	24/610	Light	Yes	M15×1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	_	III (long)
CZ 600 ALPHA 223 Rem.	1:7/6	5	3,0	1096	24/610	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	-	I (mini)
CZ 600 ALPHA 7,62 × 39	1:9,5 / 4	5	2,5	943	18/457	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	-	I (mini)
CZ 600 ALPHA 308 Win.	1:10 / 4	5	3,2	1020	20/508	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	-	II (medium)
CZ 600 ALPHA 6,5 Creedmoor	1:7/6	5	3,4	1071	22/559	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	-	II (medium)
CZ 600 ALPHA 6 mm Creedmoo	r 1:7/6	5	3,5	1071	22/559	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	-	II (medium)
CZ 600 ALPHA 6,5 PRC	1:7/6	3	3,4	1071	24/610	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	-	II (medium)
CZ 600 ALPHA 30-06 Spring.	1:10 / 4	5	3,3	1033	20/508	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	-	III (long)
CZ 600 ALPHA 8 × 57 IS	1:9,5 / 4	5	3,3	1033	20/508	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	_	III (long)
CZ 600 ALPHA 300 Win. Mag.	1:10 / 4	3	3,5	1135	24/610	Semi-Heavy	No	M15×1	Polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	-	III (long)
CZ 600 ERGO 223 Rem.	1:9/6	5	2,6	1013	20/508	Light	No	M15×1	Polymer	Soft-touch	No	370	Single-Stage, Adjustable	6-13,5	-	I (mini)
CZ 600 ERGO 308 Win.	1:10 / 4	5	2,9	1038	20/508	Light	No	M15×1	Polymer	Soft-touch	No	370	Single-Stage, Adjustable	6-13,5	-	II (medium)
CZ 600 ERGO 6,5 Creedmoor	1:7 / 4	5	3,0	1089	22/559	Light	No	M15×1	Polymer	Soft-touch	No	370	Single-Stage, Adjustable	6-13,5	-	II (medium)
CZ 600 ERGO 30-06 Spring.	1:10 / 4	5	2,9	1052	20/508	Light	No	M15×1	Polymer	Soft-touch	No	370	Single-Stage, Adjustable	6-13,5	-	III (long)
CZ 600 ERGO 8 × 57 IS	1:9,5 / 4	5	2,9	1052	20/508	Light	No	M15×1	Polymer	Soft-touch	No	370	Single-Stage, Adjustable	6-13,5	_	III (long)
CZ 600 ERGO 300 Win. Mag.	1:10 / 4	3	3,1	1154	24/610	Light	No	M15×1	Polymer	Soft-touch	No	370	Single-Stage, Adjustable	6-13,5	-	III (long)
CZ 600 RANGE 308 Win.	1:10 / 4	5	4,6	1140	24/610	Heavy	No	M18×1	Laminated Wood	d Varnish	Adjustable	370	Single-Stage, Adjustable	6-13,5	-	II (medium)
CZ 600 RANGE 6 mm Creedmoo	r 1:7/6	5	4,7	1140	24/610	Heavy	No	M18×1	Laminated Wood	d Varnish	Adjustable	370	Single-Stage, Adjustable	6-13,5	-	II (medium)
CZ 600 TRAIL 223 Rem.	1:7/6	10	2,8	690-890	16/412	Semi-Heavy	No	M15×1	Polymer	-	Yes	143-347	Double-Stage, Adjustable	4-6	9,5-17	I (mini)
CZ 600 TRAIL 7,62 × 39	1:9,5 / 4	10	2,8	690-890	16/412	Semi-Heavy	No	M15×1	Polymer	-	Yes	143-347	Double-Stage, Adjustable	4-6	9,5-17	I (mini)

MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH WITH STOCK FOLDED / UNFOLDED (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	1ST TRIGGER PULL WEIGHT (N)	2ND TRIGGER PULL WEIGHT (N)
CZ TSR	308 Win.	1:11	10	6,3	931/1188±10	26/660	Heavy	No	M18×1	Muzzle Brake	7075 T6 Aluminum Alloy	Anodized	Adjustable	363-393	Double-Stage, Adjustable	3-5	10-20



RIMFIRE RIFLES


A gateway to the fascinating world of guns and shooting. They're an irreplaceable training aid and exciting source of entertainment, as well as an effective hunting tool and target shooter. These are considered the traditional qualities of long firearms that use rimfire ammunition, so-called rimfire rifles, and models from CZ have served as excellent examples for more than 70 years. The best proof of their success is the millions of satisfied customers and fans around the world, together with the fact that CZ is considered a global standard in this segment. The backbone of its current range is the CZ 457 bolt-action rifle series, which brings many outstanding features to the table. The CZ 457 series is closely followed by the original CZ 512 semi-automatic rimfire rifle series.

CZ 457 SERIES A NEW GENERATION OF MODERN RIMFIRE RIFLES

The CZ 457 series offers exceptional user comfort due to its easy, fast and reliable operation, even with a mounted riflescope. For maximum safety, it comes with a push-to-fire safety on the right side of the receiver, striker status indicator and a separate bolt extractor control. Shooting accuracy is ensured with its adjustable trigger mechanism that features low trigger pull weight and excellent travel, combined with a noticeably lighter striker and a new type of bedding. Other benefits include an extremely durable anticorrosion finish on metal parts, easy change of caliber by users and reliable polymer magazines that are compatible with the previous generation of CZ rimfire rifles.













Lighter striker increases striking speed and reduces vibration during firing





60° angle of the bolt handle allows for convenient, smooth and quick reloading

Match chamber (selected 22 LR caliber models)



22 LR | 5





MODEL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
CZ 457 MDT CHASSIS	22 LR (1:16)	5	3,4	1010	20/525	Heavy, Fluted	No	1/2×20	Yes	Duralumin	Cerakote	Adjustable	335-360	Adjustable	11,1-14
CZ 457 LRP BLACK	22 LR (1:16)	5	3,9	1010	20/525	Heavy, Fluted	No	1/2×20	Yes	Beech	Soft-touch	Adjustable	351-382	Adjustable	11,1-14



22 LR | 5

0 0

A new version of this popular model for accurate, long range shooting. It comes with a 20" thick-walled and fluted cold hammer forged barrel, MATCH chamber and an effective cylindrical compensator mounted on the muzzle. All key features of its black, target-style stock are adjustable. A Picatinny mounting rail with 25 MOA inclination allows for easy sighting in of the scope.



22 LR 5

The CZ 457 AT-ONE sport model from the CZ-USA range, which is held in high regard by our customers, is part of our worldwide offer of the CZ 457 series. This specially designed rifle is equipped with a varmint barrel with MATCH chamber and a massive laminated wood stock from the well-known American brand Boyds, which features an easily adjustable butt pad and cheekpiece. The classic sling loop is complemented by a quick-release loop with anchor holes on both sides of the forend.



MODEL	CALIBER (TWIST RATE)	MAGAZINE	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
CZ 457 AT-ONE	22 LR (1:16)	5	3,5	935-982	20/525	Heavy	No	1/2×20	No	Laminated	Varnish	Adjustable	313 -360	Adjustable	11,1-14
CZ 457 THUMBHOLE 16"	22 LR (1:16)	5	3,4	885	16/412,5	Heavy	No	1/2×20	Yes	Laminated	Varnish	Yes	360	Adjustable	11,1-14
CZ 457 THUMBHOLE 20"	17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)	5	3,4	997	20/525	Heavy	No	1/2×20	Yes	Laminated	Varnish	Yes	360	Adjustable	11,1-14



CZ 457 THUMBHOLE

17 HMR 5 22 LR 5 22 WMR 5

The perfect combination of ergonomics and elegance. The defining characteristic of this model is its thumbhole stock made from high-strength, gray-brown laminated wood, which also features a unique integrated trigger guard. Its sophisticated stock design allows for comfortable use by both right- and left-handed shooters.





A trail model created for those who appreciate the use of premium materials. Along with the strengths of the 457 series, this 22 LR caliber rifle features an attractive digital camouflage on its soft-touch finished polymer stock and comes with a light profile, weather-resistant stainless steel barrel.

CZ 457 SYNTHETIC

17 HMR 5 22 LR 5 22 WMR 5

The main feature for this model is increased resistance to adverse environmental conditions. All metal components come with a high quality, anti-corrosion finish. Its ergonomically friendly, and extremely strong, polymer stock comes with a soft-touch finish and is resistant to moisture, cold and heat.

MODEL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
CZ 457 STAINLESS	22 LR (1:16)	5	2,5	977	20/525	Light	No	1/2×20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
CZ 457 SYNTHETIC 16"	22 LR (1:16)	5	2,5	865	16/412,5	Light	No	1/2×20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
CZ 457 SYNTHETIC 20"	17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)	5	2,5	977	20/525	Light	No	1/2×20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
CZ 457 SYNTHETIC SET	22 LR (1:16)	5	2,5	977	20/525	Light	No	1/2×20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14

CZ 457 SYNTHETIC SET

22 LR 5

With an increased resistance to adverse weather conditions, this model is available as a basic version or as a set with a 3-9×42 riflescope developed especially for this series. The riflescope is sighted in at 50 meters and is securely attached on a durable, two-piece duralumin mount. Reliable and consistent shot groupings are ensured through tests carried out on all CZ 557 centerfire rifles.



22 LR 5





MODEL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH
CZ 457 MTR 16"	22 LR (1:16)	5	3,5	859	16/412,5	Heavy	No	1/2×20	No	Walnut	Oil
CZ 457 MTR 20"	22 LR (1:16)	5	3,5	976	20/525	Heavy	No	1/2×20	No	Walnut	Oil
CZ 457 VARMINT	17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)	5	3,3	981	20/525	Heavy	No	1/2×20	No	Walnut	Varnish
CZ 457 VARMINT LH	22 LR (1:16)	5	3,3	981	20/525	Heavy	No	1/2×20	No	Walnut	Varnish

CZ 457 VARMINT

17 HMR 5 22 LR 5 22 WMR 5

A popular design with an American-style varnished stock and thick-walled 525 mm barrel, which makes it ideal for accurate sport shooting and hunting at medium to long distances. The proven 11 mm CZ dovetail is milled into the top of the receiver for attaching scope ringmounts.



- 17 HMR 5 22 LR 5 22 WMR 5




MODEL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH
CZ 457 ROYAL 16"	17 HMR (1:9), 22 LR (1:16)	5	2,9	857	16/412,5	Light	No	1/2×20	No	Walnut	Oil
CZ 457 ROYAL 20"	17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)	5	2,9	977	20/525	Light	No	1/2×20	No	Walnut	Oil
CZ 457 AMERICAN	17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)	5	3,0	1087	24/630	Light	No	1/2×20	No	Walnut	Varnish
CZ 457 AMERICAN LH	22 LR (1:16)	5	3,0	1087	24/630	Light	No	1/2×20	No	Walnut	Varnish



17 HMR 5 22 LR 5 22 WMR 5

The 457 is the perfect example of a classic American sport and hunting gun. The varnished American-style stock is made from high quality walnut, with checkering on the grip that incorporates a fleur-de-lis motif. The light profile, cold hammer forged barrel is 630 mm long and has no sights.





22 LR | 5

CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
Yes	360	Adjustable	11,1-14
Yes	360	Adjustable	11,1-14
No	360	Adjustable	11,1-14
No	360	Adjustable	11,1-14



22 LR | 10

The 457 Jaguar XII is a modern model of the popular rimfire rifles from CZ. It features the longest barrel on offer (726 mm), as well as a tangent rear sight adjustable between 25 and 200 m, stock with a jaguar motif, and claw marks in place of traditional checkering. Basic accessories include a 10-round metal magazine.





CZ 457 PREMIUM

17 HMR 5 22 LR 5 22 WMR 5

The 457 Premium is a model that will impress all fans of classically shaped hunting rifles. Its premium walnut stock features a cheekpiece and decorative forend. The 630 mm light profile barrel has a 1/2×20 muzzle thread for the attachment of a suppressor. Aiming is quick and intuitive with its tangent rear sight and fiber optic front sight.



11.1-14

360

Adjustable





- 17 HMR 5 22 LR 5 22 WMR 5

A rimfire rifle with a classic European hunting rifle design. The varnished stock with cheekpiece is made of high-quality Turkish walnut and features laser-etched checkering. Traditional iron sights come as standard.



MODE	EL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH
CZ 45	7 LUX	17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)	5	2,9	1088	24/630	Light	Yes	1/2×20	No	Walnut	Varnish
CZ 45	7 TRAINING RIFLE	22 LR (1:16)	5	3,1	1085	24/630	Light	Yes	1/2×20	No	Beech	Varnish



CZ 457 TRAINING RIFLE

22 LR | 5

The latest CZ Training Rifle models are perfect for novice shooters of all ages. In this case, it is all the more true thanks to the benefits of the CZ 457 series that significantly increase user safety, accuracy and the rifle's service life.

CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
Yes	360	Adjustable	11,1-14
Yes	360	Adjustable	11,1-14





SHOOTING WITH RIMFIRE RIFLES HAS NEVER BEEN SO COMFORTABLE AND FAST!

Take seven decades of experience with the development and manufacture of rimfire rifles, mix it with unique know-how for the challenging design and production of automatic firearms, and season it with the most advanced manufacturing technologies. What do you get? The best semi-automatic rimfire rifles on the market!



MODEL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH
CZ 512 TACTICAL	22 LR (1:16)	25	2,7	844-934	16/415	Light	No	1/2×28	No	Polymer	-
CZ 512 TACTICAL	22 WMR (1:16)	10	2,8	844-934	16/415	Light	No	1/2×28	No	Polymer	-
CZ 512	22 LR (1:16)	5	2,6	997	20/525	Light	Yes	No	No	Beech	Varnish
CZ 512	22 WMR (1:16)	5	2,8	997	20/525	Light	Yes	No	No	Beech	Varnish



The attractive design of this semi-automatic rifle has made it a popular choice for many shooters. And for 2022, a new version is available that features an updated forend with M-LOK interface. All CZ 512 Tactical firearms come with an ergonomic pistol grip, adjustable length fiberglass-reinforced polymer stock and a height adjustable comb. Included as standard equipment is a 25-round magazine with the 22 LR caliber version and a 10-round magazine with the 22 WMR caliber version.

CZ **512**

22 LR 5 22 WMR 5

The 512 is a modern semi-automatic rimfire rifle that is characterized by exceptional reliability, extreme accuracy and easy control. Due to its advanced design, it is suitable for both sport shooting and hunting, as demonstrated by the selection of calibers on offer. In addition to the basic 5-round magazine, 10-round magazines are available as a further purchase. A 25-round magazine is also available for 22 LR cartridges.

CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
Adjustable	291-374	Non-Adjustable	<25
Adjustable	291-374	Non-Adjustable	<25
No	350	Non-Adjustable	<25
No	350	Non-Adjustable	<25

C 24 75 PM CLARSIS 2 LU (16) 5 1.4 100 2022 Heary, Fluted Ne 1/2-20 Yes Dealumin Cension Adjustable 30.00 Adjustable 10.00 C 24 77 LOR LLACK 21 (8) 5 39 100 20/25 Heary, Fluted No 1/2-20 Yes Dealumin Cension Adjustable 30.00 Adjustable 10.00 C 24 77 LVARBIACL M° 214 (18) 5 3.4 956.02 2025 Heary No 1/2-20 Yes Laminated Variable Yes 360 Adjustable 10.00 C 24 77 LVARBIACL M° 71 (18 (18), 22 LV (16), 22 VM (10) 5 3.4 97 20155 Light No 1/2-20 Yes Laminated Variable Variable No 1/2-20 No Laminated Variable No 1/2-20 No Dailyon Sold Adjustable No C 44 75 XPTHETC 20 71 MAR (16), 22 VM (10) 5 3.5 85 1/47.5 Light No 1/2.20 No Daijyee Sold Adjustable N	MODEL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
242 APA Conf 212 R10 5 15 9502 9502 1600	CZ 457 MDT CHASSIS	22 LR (1:16)	5		1010	20/525	Heavy, Fluted	No	1/2×20	Yes	Duralumin	Cerakote	Adjustable	335-360	Adjustable	11,1-14
C4771MMBMCLEWSLIPPA <t< td=""><td>CZ 457 LRP BLACK</td><td>22 LR (1:16)</td><td>5</td><td>3,9</td><td>1010</td><td>20/525</td><td>Heavy, Fluted</td><td>No</td><td>1/2×20</td><td>Yes</td><td>Beech</td><td>Soft-touch</td><td>Adjustable</td><td>351-382</td><td>Adjustable</td><td>11,1-14</td></t<>	CZ 457 LRP BLACK	22 LR (1:16)	5	3,9	1010	20/525	Heavy, Fluted	No	1/2×20	Yes	Beech	Soft-touch	Adjustable	351-382	Adjustable	11,1-14
c 2 37 TMUNEMOLE 20 IMMU (91, 97 JR (18), 97 MR (18), 97 MR (18), 9 A Mode M Mode Mode <td>CZ 457 AT-ONE</td> <td>22 LR (1:16)</td> <td>5</td> <td>3,5</td> <td>935-982</td> <td>20/525</td> <td>Heavy</td> <td>No</td> <td>1/2×20</td> <td>No</td> <td>Laminated</td> <td>Varnish</td> <td>Adjustable</td> <td>313 -360</td> <td>Adjustable</td> <td>11,1-14</td>	CZ 457 AT-ONE	22 LR (1:16)	5	3,5	935-982	20/525	Heavy	No	1/2×20	No	Laminated	Varnish	Adjustable	313 -360	Adjustable	11,1-14
C24797JULES2)10 (m)399991mNa1/00NaPolymerSoftwachNaNaAdjustableNaC24797JULES2)10 (0)52.50.50.61/42.51/42.51/42.5Na1/2.2NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNaNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNa1/2.0NaPolymerSoftwachNaNa1/2.0NaN	CZ 457 THUMBHOLE 16"	22 LR (1:16)	5	3,4	885	16/412,5	Heavy	No	1/2×20	Yes	Laminated	Varnish	Yes	360	Adjustable	11,1-14
C4 247 SMTHERC 16* S1 Light No No Polymer Softwork No Softwork No Adjustable Adjus	CZ 457 THUMBHOLE 20"	17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)	5	3,4	997	20/525	Heavy	No	1/2×20	Yes	Laminated	Varnish	Yes	360	Adjustable	11,1-14
C24797N/THETC2017HR [19], 22 LR [18], 22 VMR [19]525972052LghtNo12-20NoPolmerSoftwachNoNoSoftwachNoSoftwachNoSoftwachNoSoftwachNoSoftwachNoSoftwachNoSoftwachNoSoftwachNoSoftwachNoSoftwachNo <td>CZ 457 STAINLESS</td> <td>22 LR (1:16)</td> <td>5</td> <td>2,5</td> <td>977</td> <td>20/525</td> <td>Light</td> <td>No</td> <td>1/2×20</td> <td>No</td> <td>Polymer</td> <td>Soft-touch</td> <td>No</td> <td>356</td> <td>Adjustable</td> <td>11,1-14</td>	CZ 457 STAINLESS	22 LR (1:16)	5	2,5	977	20/525	Light	No	1/2×20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
C4297 SMTMETC SET21R (18)5259725216No17	CZ 457 SYNTHETIC 16"	22 LR (1:16)	5	2,5	865	16/412,5	Light	No	1/2×20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
C4 24 7 MT R*S 158916/12HeavyNo1/2-20NoWainutOilNo30AjustabeNoC4 37 MT R*2L (1/6)53.59620/55HeavyNo1/2-20NoWainutOilNo30AjustabeNoC4 37 MT R*71 MAR (19,22 LR (16),22 WAR (10)53.396120/55HeavyNo1/2-20NoWainutVainutNo300AjustabeNoC4 37 VAIAMINT71 MAR (19,22 LR (16),22 WAR (10)53.396120/55HeavyNo1/2-20NoWainutVainutNo300AjustabeNoC4 37 VAIAMINT71 MAR (19,22 LR (16),22 WAR (10)53.396120/55HeavyNo1/2-20NoWainutVainutNo360AjustabeNoC4 37 VAIA (10)71 MAR (19,22 LR (16),22 WAR (10)53.0972/55Lg htNo1/2-20NoWainutOilVainut360AjustabeNoC4 37 VAIE (14)71 HAR (19,22 LR (16),22 WAR (10)53.010672/450Lg htNoVainutVainutNo360AjustabeNoC4 37 VAIE (14)71 HAR (19,22 LR (16),22 WAR (16)53.010672/450Lg htNoWainutNo1.0No360AjustabeNoC4 37 VAIE (14)71 HAR (19,22 LR (16),22 WAR (16)53.010652/450Lg htNo	CZ 457 SYNTHETIC 20"	17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)	5	2,5	977	20/525	Light	No	1/2×20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
C437 MTR 2002 la Rúh5 la6 m6 m0 la Smayn1/2-20NoMainteDilNo300AjustabemainteC437 MARINT LH2 La Rúh2 La Rúh53.39120/52HeavyNo1/2-20NoMainteMainteMainteNo300Ajustabe1/1C437 MARINT LH2 La Rúh2 La Rúh53.39120/525HeavyNo1/2-20NoMainteMainteMainteNo300Ajustabe1/1C437 MARINT LH2 La Rúh2 La Rúh53.0912/525HeavyNo1/2-20NoMainteMainteNo300Ajustabe1/1C437 MARINT LH2 La Rúh2 La Rúh53.0912/6/32HeavyNo1/2-20NoMainteMainteNo300Ajustabe1/1C437 MARINT LH2 La Rúh91<	CZ 457 SYNTHETIC SET	22 LR (1:16)	5	2,5	977	20/525	Light	No	1/2×20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
C4 247 VARMINTIP HAR (9), 22 LP (1/6), 22 WMR (1/6)S3.398120/52HeavyNo1/2-20NoWalnutWarnishNo360AdjustableMC2 457 VARMINT LH21 R (1/6), 22 LP (1/6), 22 WMR (1/6)5.3.398120/525HeavyNo1/2-20NoWalnutVarnishNo.360.4djustable.10C2 457 VARMINT LH21 R (1/6), 22 LP (1/6), 22 WMR (1/6)5.9877.6/125LightNo1/2-20NoWalnutOilVes.360.4djustable.10C2 457 VARMINT LH21 R (1/6), 22 WMR (1/6)5.9.977.2/525LightNo1/2-20NoWalnutOil.9.600.4djustable.10C2 457 VARMINT LH21 R (1/6), 22 WMR (1/6)5.9.977.2/525LightNo1/2-20NoWalnutOil.9.600.4djustable.10C2 457 VAR LAW10 HMR (1/6), 22 LP (1/6), 22 WMR (1/6)5.301070.2/630LightNo1/2-20NoWalnutVarnishNo.600.4djustable.10C2 457 VAR LAW21 R (1/6)21 R (1/6).3.162.2/630LightNo1/2-20NoWalnutVarnishNo.600.4djustable.10C2 457 VAR LAW21 R (1/6).2 (1/6).3.162.2/630LightNe1/2-20NoWalnut.010.5.6.4djustable.	CZ 457 MTR 16"	22 LR (1:16)	5	3,5	859	16/412,5	Heavy	No	1/2×20	No	Walnut	Oil	No	350	Adjustable	11,1-14
C4 57 VARMINT LH2 R R1k05 N5 N5 N9 B20/52HerNNV2-20NoWalnutVarnishNo5 N5 NA djustableNC2 457 R0VAL 16*17 HMR (9), 22 LR (16), 22 WMR (16)52997720/52LightNo1/2-20NoWalnutOilVers500A djustableNC2 457 R0VAL 20*17 HMR (19), 22 LR (16), 22 WMR (16)52997720/52LightNo1/2-20NoWalnutOilVers560A djustableNC2 457 AMERICAN17 HMR (19), 22 LR (16), 22 WMR (16)53.0108724/630LightNo1/2-20NoWalnutWalnutNo560A djustable1/1C2 457 AMERICAN LH21 LR (16), 22 WMR (16)53.0108724/630LightNo1/2-20NoWalnutWalnutNo560A djustable1/1C2 457 AMERICAN LH21 LR (16), 22 WMR (16), 22 WMR (16)53.0108724/630LightNo1/2-20NoWalnutWalnutNo1/2A djustable1/1C2 457 AMERICAN LH21 LR (16), 22 WMR (16), 22 WMR (16)53.210824/630LightNo1/2-20NoWalnutWalnutOilNo360Adjustable1/1C2 457 LAGUAR XH21 LR (16), 22 WMR (16), 22 WMR (16)53.210824/630LightNo1/2-20NoWalnut	CZ 457 MTR 20"	22 LR (1:16)	5	3,5	976	20/525	Heavy	No	1/2×20	No	Walnut	Oil	No	350	Adjustable	11,1-14
C2 457 POYAL 16*17 HMR (19), 22 LR (136), 22 VMR (116)52.98716/42.5UghtNo1/2-20NoWalnutOilYes360AdjutableNaC2 457 POYAL 20*17 HMR (19), 22 LR (136), 22 VMR (136)53.010872/630LightNo1/2-20NoWalnutOilYes360AdjutableNaC2 457 AMERICAN17 HMR (19), 22 LR (136), 22 VMR (136)53.010872/630LightNo1/2-20NoWalnutVainutNo360AdjutableNaC2 457 JAGUAR XI21 LR (136)53.010872/630LightYes1/2-20NoWalnutVainutNo360AdjutableNaC2 457 JAGUAR XI21 LR (136)1083.010872/630LightYes1/2-20NoWalnutOilYes360AdjutableNaC2 457 JAGUAR XI21 LR (136)1083.210852/630LightYes1/2-20NoWalnutOilYes360AdjutableNaC2 457 JAGUAR XI17 HMR (19), 22 LR (136), 22 WMR (136)53.210852/630LightYes1/2-20NoWalnutOilYes360AdjutableNaC2 457 JAGUAR XI17 HMR (19), 22 LR (136), 22 WMR (136)53.210852/630LightYes1/2-20NoWalnutVianutYes360AdjutableNaC2 457 JA	CZ 457 VARMINT	17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)	5	3,3	981	20/525	Heavy	No	1/2×20	No	Walnut	Varnish	No	360	Adjustable	11,1-14
C2 457 0000 71 HMR (9), 22 LR (16), 22 WMR (16) 5 30 1087 2/53 Light No 1/2-20 No Walnut Oli Version Adjustable Mainut C2 457 0MER(CAN 71 HMR (9), 22 LR (16), 22 WMR (16) 5 30 1087 2/630 Light No 1/2-20 No Walnut Varish No 30 Adjustable Mainut C2 457 0MER(CAN 21 R (16) 5 30 1087 2/630 Light No 1/2-20 No Walnut Varish No Adjustable Mainut C2 457 JACUAR XI 21 R (16) No 30 1087 2/630 Light Yes 1/2-20 No Walnut Varish No Adjustable Mainut Adjustable Mainut Adjustable Mainut Adjustable Mainut Yes 1/2-20 No Walnut Oil Yes Adjustable Mainut Yes Adjustable Mainut Yes Adjustable Mainut Yes Adjustable Yes Yes No Walnut Yes Adjustable Yes	CZ 457 VARMINT LH	22 LR (1:16)	5	3,3	981	20/525	Heavy	No	1/2×20	No	Walnut	Varnish	No	360	Adjustable	11,1-14
C 2457 AMERICAN17 HMR 19, 22 LR (16), 22 WMR (16)53.010872/453LightNo1/2-20NoWainutVarnishNo360Ajustable1C 2457 AMERICAN LH22 LR (16), 22 WMR (16)53.010872/453LightNo1/2-20NoWainutVarnishNo360Ajustable1C 2457 AMERICAN LH22 LR (16), 22 WMR (16)53.210852/453LightYes1/2-20NoBeechVarnishYes360Ajustable1C 2457 AMERICAN LH21 LR (16), 22 UMR (16)53.210852/453LightYes1/2-20NoWainutOilYes360Ajustable1C 2457 AMERICAN LH21 LR (16), 22 UMR (16)53.210852/453LightYes1/2-20NoWainutOilYes360Ajustable1C 2457 ATCHIAN LH21 LR (16), 22 UMR (16)53.210852/4630LightYes1/2-20NoWainutOilYes360Ajustable1C 2457 TRAINING RIFLE21 LR (16), 22 UMR (16)53.110852/4630LightYes1/2-20NoWainutVainutYes360Ajustable1/2C 2457 TACHICAL21 LR (16), 22 UMR (16)53.110852/4630LightYes1/2-20NoWainutWainutYes360Ajustable1/2C 2457 TACHICAL <td>CZ 457 ROYAL 16"</td> <td>17 HMR (1:9), 22 LR (1:16)</td> <td>5</td> <td>2,9</td> <td>857</td> <td>16/412,5</td> <td>Light</td> <td>No</td> <td>1/2×20</td> <td>No</td> <td>Walnut</td> <td>Oil</td> <td>Yes</td> <td>360</td> <td>Adjustable</td> <td>11,1-14</td>	CZ 457 ROYAL 16"	17 HMR (1:9), 22 LR (1:16)	5	2,9	857	16/412,5	Light	No	1/2×20	No	Walnut	Oil	Yes	360	Adjustable	11,1-14
C2 457 AMERICAN LM21 R (1/6)53,010872/4/30LightNo1/2-20NoWalnutVarnishNo3,60Adjustable1/1C2 457 JAGUAR XII21 R (1/6)21 R (1/6)103,3118228/726LightYes1/2-20NoBeechVarnishNo503,60Adjustable1/1C2 457 JAGUAR XII21 R (1/6)22 LR (1/6)53,210852/4/30LightYes1/2-20NoWalnutOilYes3,60Adjustable1/1C2 457 JAGUAR XII21 R (1/6)22 LR (1/6)53,210852/4/30LightYes1/2-20NoWalnutOilYes3,60Adjustable1/1C2 457 JAGUAR XII21 R (1/6)22 LR (1/6)53,210852/4/30LightYes1/2-20NoWalnutWalnutOilYes3,60Adjustable1/1C2 457 JAGUAR XII21 R (1/6)22 LR (1/6)22 LR (1/6)53,2010852/4/300LightYes1/2-20NoWalnutWalnutOilYes3,60Adjustable1/1C2 457 JAGUAR XII21 R (1/6)22 LR (1/6)20 R (1/6)20	CZ 457 ROYAL 20"	17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)	5	2,9	977	20/525	Light	No	1/2×20	No	Walnut	Oil	Yes	360	Adjustable	11,1-14
C2 457 JACUAR XI21 R (16)103.3118228/726LightYes1/2-20NoBeechVarnishYes3.60Adjustable1.1C2 457 JACUAR XI7H MR (19), 22 LR (136), 22 WMR (136)53.2108524/630LightYes1/2-20NoWalnutOilYes3.60Adjustable1.1C2 457 JACUAR XI21 R (136), 22 WMR (136), 22 WMR (136)53.2108524/630LightYes1/2-20NoWalnutOilYes3.60Adjustable1.1C2 457 JACUAR XI7H MR (19), 22 LR (136), 22 WMR (136)53.2108524/630LightYes1/2-20NoWalnutVarishYes3.60Adjustable1.1C2 457 JACUAR XI7H MR (19), 22 LR (136), 22 WMR (136)53.210852/4/30LightYes1/2-20NoWalnutVarishYes3.60Adjustable1.1C2 457 JACUAR XI53.110852/4/30LightYes1/2-20NoWalnutVarishYes3.60Adjustable1.1C2 457 JACUAR YI53.110852/4/30LightYes1/2-20NoWalnutYes3.60Adjustable1.1C2 457 JACUAR YI53.110852/4/30LightYes1/2-20NoPolymerYesAdjustable1.1C2 512 TACTICAL21 LR (16)21 LR (16)21 LR (16)21 LR (16) <t< td=""><td>CZ 457 AMERICAN</td><td>17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)</td><td>5</td><td>3,0</td><td>1087</td><td>24/630</td><td>Light</td><td>No</td><td>1/2×20</td><td>No</td><td>Walnut</td><td>Varnish</td><td>No</td><td>360</td><td>Adjustable</td><td>11,1-14</td></t<>	CZ 457 AMERICAN	17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)	5	3,0	1087	24/630	Light	No	1/2×20	No	Walnut	Varnish	No	360	Adjustable	11,1-14
CZ 457 PREMIUM17 HMR (19), 22 LR (16), 22 WMR (1)6)53,210852/630LightYes1/2-20NoWalnutOilYes360Adjustable1/1CZ 457 PREMIUM L421 LR (16), 22 WMR (10)53,210852/630LightYes1/2-20NoWalnutOilYes360Adjustable1/1CZ 457 PREMIUM L421 LR (16), 22 WMR (10)52,910852/630LightYes1/2-20NoWalnutWalnutVisitYes360Adjustable1/1CZ 457 TRAINING RIFLE21 LR (16), 22 WMR (10)53,110852/4630LightYes1/2-20NoBeechWalnutVisit960Adjustable1/1CZ 457 TRAINING RIFLE21 LR (16), 22 WMR (16)53,110852/4630LightYes1/2-20NoBeechValnutVisit360Adjustable1/1CZ 457 TRAINING RIFLE21 LR (16), 22 WMR (16)53,110852/4630LightYes1/2-20NoBeechValnutYes360Adjustable1/1CZ 52 TACTICAL21 LR (16), 22 WMR (16)52,6844-9341/415LightNo1/2-28NoPolymer-Adjustable21.3No-Adjustable22.3CZ 52 TACTICAL21 LR (16), 22 WMR (16)52,62,62,61/2,6LightNo1/2-28NoNoPolymer-Adjustable <td>CZ 457 AMERICAN LH</td> <td>22 LR (1:16)</td> <td>5</td> <td>3,0</td> <td>1087</td> <td>24/630</td> <td>Light</td> <td>No</td> <td>1/2×20</td> <td>No</td> <td>Walnut</td> <td>Varnish</td> <td>No</td> <td>360</td> <td>Adjustable</td> <td>11,1-14</td>	CZ 457 AMERICAN LH	22 LR (1:16)	5	3,0	1087	24/630	Light	No	1/2×20	No	Walnut	Varnish	No	360	Adjustable	11,1-14
C2 457 PREMIUM LHS1S2R108Z4/630LightYesI/2×00NoWalnutOilYes360Adjustable11,1C2 457 LVX17 HMR (19,2 2 LR (1:6), 2 WMR (1:6)S2,91088Z4/630LightYes1/2×20NoWalnutWalnutVeis360Adjustable11,1C2 457 TRAINING RIFLE2 LR (1:6)S43,11085Z4/630LightYes1/2×20NoBeechVarnishYes360Adjustable11,1C2 457 TRAINING RIFLE2 LR (1:6)S43,11085Z4/630LightYes1/2×20NoBeechVarnishYes360Adjustable11,1C2 457 TRAINING RIFLE2 LR (1:6)S43,11085Z4/630LightYes1/2×20NoBeechVarnishYes360Adjustable11,1C2 457 TRAINING RIFLE2 LR (1:6)S43,11085Z4/630LightYes1/2×20NoPolymerForAdjustable29-374Non-Adjustable29-374Non-Adjustable29-374Non-Adjustable29-374Non-Adjustable29-374Non-Adjustable29-374Non-Adjustable29-374Non-Adjustable29-374Non-Adjustable29-374Non-Adjustable29-374Non-Adjustable29-374Non-Adjustable29-374Non-Adjustable29-374Non-Adjustable29-374Non-Adjustable29-374Non-Adjustable29-374Non-Adjustable	CZ 457 JAGUAR XII	22 LR (1:16)	10	3,3	1182	28/726	Light	Yes	1/2×20	No	Beech	Varnish	Yes	360	Adjustable	11,1-14
CZ 457 LUX17 HMR (19), 22 LR (1:6), 22 WMR (1:6)52,9108824/630LightYes1/2×00NoWalnutWalnutYes360Adjustable11,1CZ 457 TRAINING RIFLE22 LR (1:6)53,1108524/630LightYes1/2×20NoBeechVarnishYes360Adjustable11,1CZ 512 TACTICAL22 LR (1:6)53,1108524/630LightNo1/2×20NoBeechVarnishYes360Adjustable11,1CZ 512 TACTICAL22 LR (1:6)102,8844-93416/415LightNo1/2×28NoPolymer-Adjustable291-374Non-Adjustable <td>CZ 457 PREMIUM</td> <td>17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)</td> <td>5</td> <td>3,2</td> <td>1085</td> <td>24/630</td> <td>Light</td> <td>Yes</td> <td>1/2×20</td> <td>No</td> <td>Walnut</td> <td>Oil</td> <td>Yes</td> <td>360</td> <td>Adjustable</td> <td>11,1-14</td>	CZ 457 PREMIUM	17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)	5	3,2	1085	24/630	Light	Yes	1/2×20	No	Walnut	Oil	Yes	360	Adjustable	11,1-14
CZ 457 TRAINING RIFLE22 LR (1:6)53,1108524/630LightYes1/2×20NoBeechVarnishYes360Adjustable1,1CZ 512 TACTICAL22 LR (1:6)252,7844-93416/415LightNo1/2×28NoPolymer-Adjustable291-374Non-Adjustable	CZ 457 PREMIUM LH	22 LR (1:16)	5	3,2	1085	24/630	Light	Yes	1/2×20	No	Walnut	Oil	Yes	360	Adjustable	11,1-14
CZ 512 TACTICAL 22 LR (1:6) 25 2,7 844-934 16/415 Light No 1/2×28 No Polymer - Adjustable 291-374 Non-Adjustable -21 CZ 512 TACTICAL 22 WMR (1:6) 10 2,8 844-934 16/415 Light No 1/2×28 No Polymer - Adjustable 291-374 Non-Adjustable -21 CZ 512 TACTICAL 22 WMR (1:6) 10 2,8 844-934 16/415 Light No 1/2×28 No Polymer - Adjustable 291-374 Non-Adjustable -21 CZ 512 TACTICAL 22 LR (1:6) 5 2,6 997 20/525 Light No No No Beech Varinsh No S0 Non-Adjustable -21 CZ 512 24 (1:6) 5 2,6 997 20/525 Light Yes No No Beech Varinsh No Non-Adjustable -21 CZ 512 24 (1:6) 5 2,6 997 20/525 Light Yes No No <th< td=""><td>CZ 457 LUX</td><td>17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)</td><td>5</td><td>2,9</td><td>1088</td><td>24/630</td><td>Light</td><td>Yes</td><td>1/2×20</td><td>No</td><td>Walnut</td><td>Varnish</td><td>Yes</td><td>360</td><td>Adjustable</td><td>11,1-14</td></th<>	CZ 457 LUX	17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)	5	2,9	1088	24/630	Light	Yes	1/2×20	No	Walnut	Varnish	Yes	360	Adjustable	11,1-14
CZ 512 TACTICAL 22 WMR (1:16) 10 2,8 844-934 16/415 Light No 1/2×28 No Polymer - Adjustable 291-374 Non-Adjustable <291-374 CZ 512 22 LR (1:16) 5 2,6 997 20/525 Light Yes No No Beech Varnish No 350 Non-Adjustable <291-374	CZ 457 TRAINING RIFLE	22 LR (1:16)	5	3,1	1085	24/630	Light	Yes	1/2×20	No	Beech	Varnish	Yes	360	Adjustable	11,1-14
CZ 512 22 LR (1:16) 5 2,6 997 20/525 Light Yes No No Beech Varnish No 350 Non-Adjustable <24	CZ 512 TACTICAL	22 LR (1:16)	25	2,7	844-934	16/415	Light	No	1/2×28	No	Polymer	-	Adjustable	291-374	Non-Adjustable	<25
	CZ 512 TACTICAL	22 WMR (1:16)	10	2,8	844-934	16/415	Light	No	1/2×28	No	Polymer	-	Adjustable	291-374	Non-Adjustable	<25
CZ 512 22 WMR (1:16) 5 2,8 997 20/525 Light Yes No No Beech Varnish No 350 Non-Adjustable <2	CZ 512	22 LR (1:16)	5	2,6	997	20/525	Light	Yes	No	No	Beech	Varnish	No	350	Non-Adjustable	<25
	CZ 512	22 WMR (1:16)	5	2,8	997	20/525	Light	Yes	No	No	Beech	Varnish	No	350	Non-Adjustable	<25





CZ-USA FIELD SPORTS SHOTGUNS

Borrowing from the most popular shotguns in the CZ-USA portfolio, this diverse range of long guns exhibits excellent construction quality, reliability and user-friendliness. The traditional core offer is a proven range of semi-automatic and pump action shotgun models for hunting and sport shooting, for which a wide selection of interchangeable chokes is available.



12/76 | 2

An elegant over/under shotgun made for shooters who require more than just accuracy and reliability from their firearm. The beautiful CNC machined receiver is chrome plated, polished and hand engraved. The stock is made from carefully selected Turkish walnut (Grade III) and features a beautiful image. Additional features include ejectors and a single trigger mechanism that allows you to choose firing order of the barrels.



12/76 | 2

A high level, universal 12-gauge over/under shotgun designed for sport shooting and hunting. The precision CNC machined receiver is chrome plated, which gives it a shiny silver appearance. This model is equipped with ejectors for the fastest possible reloading times and a single trigger mechanism that allows you to choose the barrel firing order.


MODEL	CHAMBERING	CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	STOCK	FINISH	CHEEKPIECE	LOP (mm)	СНОКЕ	EJECTOR/ EXTRACTOR	1ST TRIGGER PULL WEIGHT (N)	2ND TRIGGER PULL WEIGHT (N)
CZ SUPREME FIELD	12/76	2	3,5	1160	28/710	Walnut	Varnish	No	355	Multi (5 pcs)	Ejectors	16	16
CZ REDHEAD PREMIER	12/76	2	3,5	1160	28/710	Walnut	Varnish	No	355	Multi (5 pcs)	Ejectors	19,5	15,5
CZ DRAKE	12/76	2	3,3	1160	28/710	Walnut	Varnish	No	355	Multi (5 pcs)	Extractor	19	17,5
CZ ALL-AMERICAN	12/76	2	4,0	1220	30/760	Walnut	Varnish	Adjustable	355	Multi (5 pcs)	Ejectors	10	8,5





The CZ Drake is a over/under shotgun with an extremely advantageous price to performance ratio. CNC machining of components is also utilized for this model. Features include extractor operation, a single selectable trigger mechanism with the ability to choose the firing order of barrels, low weight due to the deletion of the mid-rib between barrels, and laser cut checkering for a slip-free grip.

CZ ALL-AMERICAN NEW



A 12-gauge sport over/under shotgun with an adjustable butt plate and cheekpiece for tuning the gun to your specific body dimensions and shooting style. To minimize recoil, main ports are provided and the trigger mechanism fires the lower barrel first. High-precision CNC machining of all components allows for easy and trouble-free installation of spare parts.





12/76 | 4

A 12-gauge semi-automatic shotgun with a gasless inertia operating system for maximum reliability. Its user-friendliness was confirmed with a test of 5,000 shots without a drop of oil or any type of cleaning, while experiencing zero parts breakage or malfunctions. This model is equipped with a stock and forend made from Turkish walnut.




12/76 4

A semi-automatic 12-gauge shotgun with a gasless inertia operating system, which provides maximum reliability with various types of ammunition from light-recoiling target loads to powerful 3" magnums and allows for a more relaxed maintenance schedule. A durable polymer stock makes it an ideal firearm for use in extremely inhospitable conditions. A wide range of chokes is also available for this model.

MODEL	CHAMBERING	CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	STOCK	FINISH	CHEEKPIECE	LOP (mm)	СНОКЕ	TRIGGER PULL WEIGHT (N)
CZ 1012	12/76	4	3,5	1200	28/710	Walnut	Varnish	Yes	355	Multi (5 pcs)	20
CZ 1012 SYNTHETIC	12/76	4	3,1	1200	28/710	Polymer	-	Yes	355	Multi (5 pcs)	20
CZ 612 HOME DEFENSE	12/76	4	2,6	970	18,5/470	Polymer	-	No	355	Fixed Cylinder	17
CZ 612 FIELD	12/76	4	2,8	1170	28/710	Walnut	Varnish	No	355	Multi (3 pcs)	17


CZ 612 HOME DEFENSE



A simple 12-gauge pump action shotgun with a durable polymer stock and reduced length, 47 cm barrel with fixed cylinder choke. The result is a compact, reliable and powerful firearm especially suited for home defense, while also being a great choice for competing in IPSC disciplines.

NEW





A reliable and affordable 12-gauge pump action shotgun for sport and hunting. The simple and durable pump reloading system has very low maintenance requirements, while the dual action bars make operation smooth and reliable. The stock is made of Turkish walnut and three interchangeable chokes come as part of its standard equipment.





PISTOLS

CZ leads the world with a comprehensive line of advanced pistols that sees continuous innovation and expansion of models. All categories are covered, from supercompacts to full-size models and sport specials. Pistols within the different series are made from both traditional and modern, cutting edge materials with a selection of hammer-fired and striker-fired models. Keeping with the latest trends, selected models come ready for the installation of a suppressor and/or red dot sight.

RELIABLE STRIKER-FIRED PISTOL SERIES WITH POLYMER FRAME


The industry-leading P-10 series is offered in a comprehensive array of sizes, from supercompact (CZ P-10 M) to subcompact (CZ P-10 S), compact (CZ P-10 C), semi-compact (CZ P-10 SC) and full-size (CZ P -10 F). Most models are also available with a design that allows for the easy installation of a suppressor and/or red dot sight.

All CZ P-10 series pistols feature maximum reliability, high accuracy, a long service life and shooting comfort. The sophisticated grip and checkering were created in accordance with the modern ergonomic DiFEND method, which significantly contributes to extreme user-friendliness. The very first model released in this series, the CZ P-10 C compact, was named "2017 Gun of the Year" by the prestigious American magazine "Guns & Ammo".

CZ P-10 SERIES

Main features of the CZ P-10 series





Flat ambidextrous slide stop (CZ P-10 S, C, SC and F models)

Ergonomic grip with prominent checkering for superb shooting comfort, stability and safety

nor la r

Lightweight and durable fiberglass-reinforced polymer

frame is mechanically strong and thermally stable

C637

9x19 N

The full-size model of the CZ P-10 pistol is the ideal choice for shooters who prefer the best possible grip, maximum magazine capacity and long barrel.

CZ P-10 F OR

9 × 19 | 19

The CZ P-10 F OR (Optics-Ready) has been designed for the increasingly popular option of mounting a red dot sight quickly and easily. The original CZ mounting interface is known for its robustness, strength, durability, low installation height and easy aiming with the red dot sight at short to long distances. This model also comes with high (cowitness) iron sights in case optics are damaged or fail.

MUNICI S CZ F-S F SAN MUNICI

MODEL	CALIBER	MAGAZINE	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME
CZ P-10 F	9 × 19, 9 × 21	19/10, 19	810	203 × 32 × 150	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer
CZ P-10 F OR	9 × 19	19	810	203 × 32 × 153	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer
CZ P-10 F SR	9 × 19	19	830	225 × 32 × 155	134	Tritium	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer
CZ P-10 F OR SR	9 × 19	19	830	225 × 32 × 153	134	Luminescent	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer

CZ P-10 F SR

9 × 19 | 19

The CZ P-10 F SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.



CZ P-10 F OR SR

9 × 19 | 19

The CZ P-10 F OR SR (Optics-Ready-Suppressor-Ready)

77777777

CERCIFICATION IN COLOR OF

TIC R LD S CLUB AND S DI

features both a modified slide for attaching a red dot sight and extended barrel with 1/2"×28 UNEF – 3A threads for mounting a suppressor.

SAFETY FEATURES

Trigger safety, Trigger bar safety, Firing pin block
Trigger safety, Trigger bar safety, Firing pin block
Trigger safety, Trigger bar safety, Firing pin block
Trigger safety, Trigger bar safety, Firing pin block

CZ P-10 F 45 AUTO

45 Auto | 13

The first pistol in the successful CZ P-10 series chambered in the timeless 45 Auto. This high-powered, full-size model combines an increased 13 + 1 firing capacity with key benefits of the CZ P-10 family, which include excellent ergonomics, light trigger pull, high accuracy, impressive durability, extreme reliability and precise construction.

MADE IN CZECH REPUBLIC)

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME
CZ P-10 F 45 Auto	45 Auto	13	930	207 × 34 × 151	114	Luminescent	No	25±4	9±1	4	Fiberglass-

3 CZ P-10 F 45 AUTO

BEFORE USE

CCCCC

E.C.C.F. U.U. D. D. I I I I

LECLT





SAFETY FEATURES

ass-reinforced polymer

Trigger safety, Trigger bar safety, Firing pin block



9 × 19 | 15

A perfect model for users who would like to carry their pistol as covertly and comfortably as possible, but who also want to maximize the potential of the 9 × 19 cartridge, as well as the advantages of a long barrel and slide. This semi-compact combines the full-size barrel and slide with a compact fiberglass-reinforced polymer frame.

CZ P-10 SC OR

JUJULIU SCZ P-10SC N= MANIA

9 × 19 | 15

The CZ P-10 SC OR (Optics-Ready) pistol features a modified slide for , quick and easy attachment of a red dot sight.

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
CZ P-10 SC	9 × 19	15	790	199 × 32 × 132	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 SC OR	9 × 19	15	790	199 × 32 × 135	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 SC SR	9 × 19	15	810	221 × 32 × 137	134	Tritium	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 SC OR SR	9 × 19	15	810	221 × 32 × 135	134	Luminescent	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block

CZ P-10 SC SR

9 × 19 | 15

The CZ P-10 SC SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.



CZ P-10 SC OR SR

OCZ P-10 SC

9/19

9 × 19 | 15

1111111111 8 CZ P-10 SC +++ 1111111

The CZ P-10 SC OR SR (Optics-Ready-Suppressor-Ready) features both a modified slide for attaching a red dot sight and an extended barrel with 1/2"×28 UNEF – 3A threads for mounting a suppressor.



Due to its dimensions, innovative design and large firing capacity, this highly advanced and compact striker-fired pistol is suitable for concealed carry.

CZ **P-10 C OR**

9 × 19 | 15

The OR (Optics-Ready) model comes with a modified slide for easy attachment of a red dot sight. This original solution is characterized by its strong and durable assembly, low mounting height, easy aiming with a red dot sight (even at long distances), and the option to use iron sights in the event of the optics failing.

TANAL SCEPAD C M MANN

MODEL	CALIBER	MAGAZINE	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES	
CZ P-10 C	9 × 19, 9 × 21, 380 Auto	15	740	187 × 32 × 132	102	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block	
CZ P-10 C OR	9 × 19	15	740	187 × 32 × 135	102	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block	
CZ P-10 C SR	9 × 19	15	760	209 × 32 × 137	122	Tritium	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block	
CZ P-10 C OR SR	9 × 19	15	760	209 × 32 × 135	122	Luminescent	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block	

CZ P-10 C SR

9 × 19 | 15

The CZ P-10 C SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.



CZ P-10 C OR SR

ררר

1000/

רכבר/ רכרר

C C C F

רכרה

11

1000/

9 × 19 | 15

IIIIII SCZ P-10 C = IIIIII

The CZ P-10 C OR SR (Optics-Ready-Suppressor-Ready) features both a modified slide for attaching a red dot sight and an extended barrel with 1/2"×28 UNEF – 3A threads for mounting a suppressor.



C149525

9x19 N



9 × 19 | 12

A powerful, large-capacity subcompact with optimized dimensions for concealed carry, while maintaining the best possible shooting comfort, reliability and accuracy. With a larger 12+1 firing capacity, which is impressive for its class, the CZ P-10 S can be easily increased by another two 9 × 19 rounds with the exchangeable magazine base plate.

CZ P-10 S OR

]]]]]]SCZ P-W S =]]]]]]]]

9 × 19 | 12

A subcompact with the slide designed for easy mounting of red dot sights with the proper dimensions. High (co-witness) iron sights enable accurate shooting, even in the event of the optics being damaged or failing.

MODEL	CALIBER	MAGAZINE	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME
CZ P-10 S	9 × 19	12	710	170 × 32 × 116	89,5	Luminescent	No	25±4	9±1	4	Fiberglass-reinfor
CZ P-10 S OR	9 × 19	12	710	170 × 32 × 119	89,5	Luminescent	No	25±4	9±1	4	Fiberglass-reinfor
CZ P-10 M	9 × 19	7	575	160,5 × 25,5 × 112	85	Luminescent	No	52	9±1	4	Fiberglass-reinfor

MICRO

CZ **P-10 M**

LE & CEDH HEP, B.C

arme via

9 × 19 | 7

The CZ P-10 M is a reliable and exceptionally accurate supercompact pistol. It retains the stand out features that have set it apart from other striker-fired pistols, most notably outstanding ergonomics and a superb trigger. With a reduced footprint and width, it has been optimized for comfortable concealed carry, while maintaining a 7+1 capacity with 9 × 19 mm cartridges. An internal slide stop and user-friendly trigger make the CZ P-10 M an ideal firearm for everyday carry.

TY FEATURES
er safety, Trigger bar safety, Firing pin block
er safety, Trigger bar safety, Firing pin block
er safety, Trigger bar safety

WORLD LEADER IN THE SA/DA POLYMER PISTOL CATEGORY

The CZ P-07 (compact) and CZ P-09 (full-size) models enjoy an impressive reputation around the world for their comfortable and simple operation, high accuracy even during rapid firing, and absolute reliability in adverse conditions. Their main advantage is the original OMEGA trigger system, which features smooth trigger pull and low pull weight in both single-action and double-action modes. Easily accessible, ambidextrous controls can be easily converted from manual safety to decocker and vice versa. All calibers come with high capacity magazines, which can be further increased with an easily interchangeable magazine base plate.

CZ P-07/09 SERIES





Easy user conversion from manual safety to decocker and vice versa

Front and rear cocking serrations allow for comfortable and safe handling of slide

Three easily interchangeable backstrap sizes to modify grip and finger reach



MADE IN CZECH REPUBL

Standardized MIL-STD-1913 rail allows for

attachment of a flashlight, laser pointer or both

DECEDERE

E.

READ MANUAL BEFORE USE 版制

75

Refined trigger blade design for fast and reliable pulls in SA/DA modes



Base model of this full-size SA/DA pistol range. The CZ P-09 is for shooters who require maximum accuracy, the highest possible firing capacity and the lowest possible weight. The highly durable fiberglass-reinforced polymer frame comes with interchangeable backstraps for customizing grip and finger reach.

CZ **P-09 SR**

9 × 19 | 19

A full-size model with an extended, threaded muzzle for easy and reliable installation of a suppressor. It's the ideal choice for shooters who care about protecting their ears and respecting their surroundings.

C7 P-09 8x19 60

MODEL	CALIBER	MAGAZINE	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
CZ P-09	9 × 19	19	860	208 × 37 × 148	115	Luminescent	No	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-09 SR	9 × 19	19	880	230 × 37 × 148	135	Luminescent	1/2"×28 UNEF - 3A	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-07	9 × 19, 380 Auto	15	780	185 × 37 × 130	95	Luminescent	No	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-07 SR	9 × 19	15	800	207 × 37 × 130	115	Luminescent	1/2"×28 UNEF - 3A	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	Manual safety, Safety notch on the hammer, Firing pin block

9 × 19 | 15 380 Auto | 15

CZ **P-07**

An extremely popular model that combines the winning features of the OMEGA trigger mechanism, reduced dimensions and low weight, while retaining a large capacity magazine.



CZ **P-07 SR**

9 × 19 | 15

C7 P-07 9x19

Another compact model in this popular series that follows the latest trends of having an extended, threaded muzzle for the easy and reliable installation of a suppressor.

A NEW GENERATION OF SA SPORT PISTOLS OPTIMZED FOR THE IPSC STANDARD DIVISION

Since 2005, the TS - TACTICAL SPORTS label has been given to top sports specials based on the legendary CZ 75 model. The CZ TS 2 series is the result of development activities that draw upon the extensive experience of CZ Shooting Team members, together with the utilization of today's most advanced design and manufacturing processes. PILLI

CZTS2 SERIES

Main features of the CZ TS 2 series

Imm red fiber optic front sight for quick and intuitive aiming

Height adjustable metal rear sight (CZ TS 2 DEEP BRONZE, CZ TS 2 RACING GREEN)

Single-Action (SA) only trigger mechanism with short travel and quick reset

Attractive design of the slide, frame and sport hammer

CZ TS 2 9x19 (7)

Improved ergonomics contribute to comfortable handling during firing



a firm and tactile grip



A more advanced design of the sport special for the IPSC Standard Division with flat, green anodized duralumin grips and magazines with green anodized base plates. Advanced components include a height adjustable rear metal sight, thumb rest, flat slide stop and adjustable, green anodized magazine release.

MODEL	CALIBER	MAGAZINE CAPACITY	with empty magazine (g)	DIMENSIONS L×W×H (mm)	BARREL LENGTH (mm)	SICHTS	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME
CZ TS 2 DEEP BRONZE	9 × 19	20	1350	225 × 42 × 149	130	Fiber optic front sight, Checkered rear sight	SA: 8	3-4	3-4	Steel
CZ TS 2 RACING GREEN	9 × 19	20	1350	225 × 42 × 149	130	Fiber optic front sight, Checkered rear sight	SA: 8	3-4	3-4	Steel
CZ TS 2	9 × 19	20	1350	225 × 42 × 149	130	Fiber optic front sight, Checkered rear sight	SA: 8	3-4	3-4	Steel
CZ TS 2	40 S&W	17	1380	225 × 44 × 149	130	Fiber optic front sight, Checkered rear sight	SA: 8	3-4	3-4	Steel

slide and Deep Bronze finished frame,

as well as a polished barrel. The flat grips,


magazine base and adjustable magazine

duralumin. A flat slide release and thumb

WEIGHT

release are made from black anodized

rest come as standard.



Base model of the new sport special for competing in the IPSC Standard Division or for target shooting. This model is equipped with flat, silver anodized duralumin grips, fixed metal sights and an extended, manual safety on the left side of the pistol (flat safety on the right side).

GRIPS	SAFETY FEATURES
Duralumin	Manual safety, Safety notch on the hammer
Duralumin	Manual safety, Safety notch on the hammer
Duralumin	Manual safety, Safety notch on the hammer
Duralumin	Manual safety, Safety notch on the hammer

THE CHOICE OF CHAMPIONS

ERIC GRAUFFEL

THE MOST POPULAR FIREARMS FOR COMPETING FOR COMPETING IN THE IPSC PRODUCTION DIVISION

The CZ SHADOW 2 series is a family of high performance, large-capacity steel pistols for today's dynamic sport shooting disciplines. Models within this series allow good shooters to perform extremely well and the best shooters to win the most prestigious IPSC competitions.

CZ SHADOV 2 SERIES

And Party of

Main features of the CZ SHADOW 2 series







The CZ Shadow 2 is an all-steel, large-capacity SA / DA pistol that is currently the most celebrated firearm in today's dynamic sport disciplines. This model is used by winners of the most prestigious IPSC shooting competitions.



MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME
CZ SHADOW 2	9 × 19, 9 × 21, 380 Auto	19/10, 19, 18	1330	217 × 34 × 157	120	Fiber optic front sight, Checkered rear sight	SA: 15 DA: 46	SA: 3-4 DA: 5	3-4	Steel
CZ SHADOW 2 OR	9 × 19, 9 × 21	19	1330	217 × 34 × 157	120	Fiber optic front sight, Checkered rear sight	SA: 15 DA: 46	SA: 3-4 DA: 5	3-4	Steel
CZ SHADOW 2 SA	9 × 19	19	1330	217 × 42 × 157	120	Fiber optic front sight, Checkered rear sight	SA: 15	3-4	3-4	Steel

CZ SHADOW 2 OR

9 × 19 | 19 9 × 21 | 19

PRODUCTION OPTICS

I.P. S.C.

The CZ SHADOW 2 pistol is extremely fast, yet at some shooting stages, it can be even faster. How can that be possible? By using today's compact red dot sights. The OR (Optics-Ready) model allows for their easy, exceptionally low and secure attachment.



CZ SHADOW 2 SA

mun

9 × 19 | 19

A target shooting model of the successful sports special with a single-action trigger mechanism and adjustable trigger designed to achieve the most accurate hits.

GRIPS	SAFETY FEATURES
Duralumin	Manual safety, Safety notch on the hammer
Duralumin	Manual safety, Safety notch on the hammer
Duralumin	Manual safety, Safety notch on the hammer





experience and results to an unbelievable level! The superb design base of this model has been further improved by precise gunsmithing modifications and the use of top-quality sport shooting components.

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME
CZ SHADOW 2 ORANGE	9 × 19, 9 × 21	19	1330	217 × 42 × 157	120	Fiber optic front sight, Checkered rear sight	SA: 15 DA: 46	SA: 3-4 DA: 5	3-4	Steel
CZ SHADOW 2 URBAN GREY	9 × 19	19	1330	217 × 34 × 157	120	Fiber optic front sight, Checkered rear sight	SA: 15 DA: 46	SA: 3-4 DA: 5	3-4	Steel
ADAPTER CZ SHADOW 2 KADET	22 LR	10	300	190 × 28 × 41	125	Checkered front and rear sight	SA: 15 DA: 46	SA: 3-4 DA: 5	3-4	Steel



CZ SHADOW 2 URBAN GREY

9 × 19 | 19

Traditional black is not the only color that suits sport. Our portfolio therefore includes a model whose frame is coated with a highly durable finish in the trendy and popular Urban Grey color scheme, which beautifully contrasts with the black aluminum grips.



GRIPS	SAFETY FEATURES
Duralumin	Manual safety, Safety notch on the hammer
Duralumin	Manual safety, Safety notch on the hammer
Duralumin	Manual safety, Safety notch on the hammer

ADAPTER CZ **SHADOW 2 KADET** 22 LR | 10

19208 2

A comprehensive kit that allows for the quick and easy conversion of large-caliber CZ pistols to fire 22 LR cartridges. This adapter is only compatible with the base CZ Shadow 2 and CZ SHADOW 2 OR models.





A modern-day legend. IPSC Production Division world champions have been fully involved in the development of this all-steel SA/ DA large caliber pistol with an external hammer. Thanks to its exceptional properties, users are provided with a highly accurate and comfortable shooting experience that delivers winning results.

MODEL CA	CALIBER		WEIGHT with empty magazine (g)	DIMENSIONS BARREL L × W × H (mm) LENGTH (mm)		SIGHTS	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME
CZ 75 SP-01 SHADOW 9 ×	× 19, 9 × 21	19/10, 15	1170	209 × 42 × 150	114	Fiber optic front sight, Checkered rear sight	SA: 15 DA: 46	SA: 8±1 DA: 13±1	6-7	Steel
CZ 75 TS CZECHMATE 9 ×	× 19	20, 26	1490	266 × 62 × 140	130	Red dot sight	SA: 8	3-4	3-4	Steel



CZ 75 TS CZECHMATE

9 × 19 (also Major power factor) | 20, 26

A 9 x 19 (also Major power factor) sport special inspired by the fine-tuned, custom guns of elite shooters in the IPSC Open Division. All components are masterfully machined and matched, broken in and tested. Each pistol is supplied with an extensive set of accessories, including a C-more red dot sight. You can rest assured that each pistol is ready to perform at its best upon delivery.

000

GRIPS	SAFETY FEATURES
Rubber	Manual safety, Safety notch on the hammer
Duralumin	Manual safety, Safety notch on the hammer



CZ 75 B Q 9x19 1

A new generation of the timeless CZ 75 B model with an OMEGA trigger mechanism and manual safety/decocker controls on both sides. The trigger and hammer have a modern ergonomic design for improved control. The steel sights have three luminescent dots for improved visibility.

CZ **75 B**

9 × 19 | 16

A modern version of one of the most famous pistols of all time. This all-steel, large-caliber SA/DA pistol with an external hammer still captivates users with its superb ergonomics and low trigger pull weight. The letter B stands for the automatic striker block, which improves drop safety.

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	GRIPS
CZ 75 B Ω	9 × 19	16	1170	208 × 36,5 × 144	114	Luminescent	SA: 17 DA: 46	SA: 9±1 DA: 15±1	6-7	Steel	Rubber
CZ 75 B	9 × 19	16	1170	208 × 36,5 × 144	114	Luminescent	SA: 20 DA: 46	SA: 9±1 DA: 15±1	6-7	Steel	Polymer
CZ 75 Ρ-01 Ω	9 × 19	15	800	184 × 38 × 135	92,5	Luminescent	SA: 17 DA: 46	SA: 9±1 DA: 15±1	6-7	Aluminum Alloy	Rubber
CZ 75 P-01 STEEL BLACK	9 × 19	15	1070	184 × 38 × 135	92,5	Luminescent	SA: 20 DA: 46	SA: 9±1 DA: 15±1	6-7	Steel	Rubber

CZ **75 P-01 Ω**

9 × 19 | 15

A popular compact with an aluminum alloy frame, OMEGA trigger mechanism and easily exchangeable manual safety/decocker controls on both sides. Additional features include the modern ergonomic design of its trigger and hammer, as well as steel sights with luminescent dots for high visibility.

CZ 75 P-01 Q 9x19 0

CZ 75 P-01 Steel Black

F

9 × 19 | 15

9

A modern design of our popular compact with a steel frame and the proven SA/DA trigger mechanism found in all CZ 75 series pistols. It's the right choice for those who want an everyday carry gun with optimized dimensions, impressive firepower, extreme comfort and superior durability.

SAFETY FEATURES

Manual safety, Safety notch on the hammer, Firing pin block Manual safety, Safety notch on the hammer, Firing pin block Manual safety, Safety notch on the hammer, Firing pin block Manual safety, Safety notch on the hammer, Firing pin block 5

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	GRIPS	SAFETY FEATURES
CZ P-10 F	9 × 19, 9 × 21	19/10, 19	810	203 × 32 × 150	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	_	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 F OR	9 × 19	19	810	203 × 32 × 153	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	-	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 F SR	9 × 19	19	830	225 × 32 × 155	134	Tritium	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	-	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 F OR SR	9 × 19	19	830	225 × 32 × 153	134	Luminescent	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	-	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 F 45 Auto	45 Auto	13	930	207 × 34 × 151	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	-	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 SC	9 × 19	15	790	199 × 32 × 132	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	-	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 SC OR	9 × 19	15	790	199 × 32 × 135	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	-	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 SC SR	9 × 19	15	810	221 × 32 × 137	134	Tritium	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	-	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 SC OR SR	9 × 19	15	810	221 × 32 × 135	134	Luminescent	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	-	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 C	9 × 19, 9 × 21, 380 Auto	15	740	187 × 32 × 132	102	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	-	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 C OR	9 × 19	15	740	187 × 32 × 135	102	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	-	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 C SR	9 × 19	15	760	209 × 32 × 137	122	Tritium	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	-	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 C OR SR	9 × 19	15	760	209 × 32 × 135	122	Luminescent	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	-	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 S	9 × 19	12	710	170 × 32 × 116	89,5	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	_	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 S OR	9 × 19	12	710	170 × 32 × 119	89,5	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	-	Trigger safety, Trigger bar safety, Firing pin block
СZ Р-10 М	9 × 19	7	575	160,5 × 25,5 × 112	85	Luminescent	No	52	9±1	4	Fiberglass-reinforced polymer	-	Trigger safety, Trigger bar safety
CZ P-09	9 × 19	19	860	208 × 37 × 148	115	Luminescent	No	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	-	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-09 SR	9 × 19	19	880	230 × 37 × 148	135	Luminescent	1/2"×28 UNEF - 3A	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	_	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-07	9 × 19, 380 Auto	15	780	185 × 37 × 130	95	Luminescent	No	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	_	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-07 SR	9 × 19	15	800	207 × 37 × 130	115	Luminescent	1/2"×28 UNEF - 3A	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	_	Manual safety, Safety notch on the hammer, Firing pin block
CZ TS 2 DEEP BRONZE	9 × 19	20	1350	225 × 42 × 149	130	Fiber optic front sight, Checkered rear sight	No	SA: 8	3-4	3-4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ TS 2 RACING GREEN	9 × 19	20	1350	225 × 42 × 149	130	Fiber optic front sight, Checkered rear sight	No	SA: 8	3-4	3-4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ TS 2	9 × 19	20	1350	225 × 42 × 149	130	Fiber optic front sight, Checkered rear sight	No	SA: 8	3-4	3-4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ TS 2	40 S&W	17	1380	225 × 44 × 149	130	Fiber optic front sight, Checkered rear sight	No	SA: 8	3-4	3-4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ SHADOW 2	9 × 19, 9 × 21, 380 Auto	19/10, 19, 18	1330	217 × 34 × 157	120	Fiber optic front sight, Checkered rear sight	No	SA: 15 DA: 46	SA: 3-4 DA: 5	3-4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ SHADOW 2 OR	9 × 19, 9 × 21	19	1330	217 × 34 × 157	120	Fiber optic front sight, Checkered rear sight	No	SA: 15 DA: 46	SA: 3-4 DA: 5	3-4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ SHADOW 2 SA	9 × 19	19	1330	217 × 42 × 157	120	Fiber optic front sight, Checkered rear sight	No	SA: 15	3-4	3-4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ SHADOW 2 ORANGE	9 × 19, 9 × 21	19	1330	217 × 42 × 157	120	Fiber optic front sight, Checkered rear sight	No	SA: 15 DA: 46	SA: 3-4 DA: 5	3-4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ SHADOW 2 URBAN GREY	9 × 19	19	1330	217 × 34 × 157	120	Fiber optic front sight, Checkered rear sight	No	SA: 15 DA: 46	SA: 3-4 DA: 5	3-4	Steel	Duralumin	Manual safety, Safety notch on the hammer
ADAPTER CZ SHADOW 2 KADET	22 LR	10	300	190 × 28 × 41	125	Checkered front and rear sight	No	SA: 15 DA: 46	SA: 3-4 DA: 5	3-4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ 75 SP-01 SHADOW	9 × 19, 9 × 21	19/10, 15	1170	209 × 42 × 150	114	Fiber optic front sight, Checkered rear sight	No	SA: 15 DA: 46	SA: 8±1 DA: 13±1	6-7	Steel	Rubber	Manual safety, Safety notch on the hammer
CZ 75 TS CZECHMATE	9 × 19	20, 26	1490	266 × 62 × 140	130	Red dot sight	No	SA: 8	3-4	3-4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ 75 Β Ω	9 × 19	16	1170	208 × 36,5 × 144	114	Luminescent	No	SA: 17 DA: 46	SA: 9±1 DA: 15±1	6-7	Steel	Rubber	Manual safety, Safety notch on the hammer, Firing pin block
CZ 75 B	9 × 19	16	1170	208 × 36,5 × 144	114	Luminescent	No	SA: 20 DA: 46	SA: 9±1 DA: 15±1	6-7	Steel	Polymer	Manual safety, Safety notch on the hammer, Firing pin block
CZ 75 Ρ-01 Ω	9 × 19	15	800	184 × 38 × 135	92,5	Luminescent	No	SA: 17 DA: 46	SA: 9±1 DA: 15±1	6-7	Aluminum Alloy	Rubber	Manual safety, Safety notch on the hammer, Firing pin block
CZ 75 P-01 STEEL BLACK	9 × 19	15	1070	184 × 38 × 135	92,5	Luminescent	No	SA: 20 DA: 46	SA: 9±1 DA: 15±1	6-7	Steel	Rubber	Manual safety, Safety notch on the hammer, Firing pin block





SEMI-AUTOMATIC RIFLES / CARBINES

The semi-automatic CZ SCORPION EVO 3 S1 and CZ BREN 2 Ms series' are among the world's elite in their respective categories. Their parameters and high level of performance make them an ideal choice for today's dynamic shooting sports, maintaining shooting fitness and hobby shooting.

LEADING SEMI-AUTOMATIC CARBINES FOR MODERN SHOOTING SPORTS

The unique design of the CZ SCORPION EVO 3 S1 series offers its users many benefits, such as light weight, advanced ergonomics, high accuracy, comfortable handling, easy disassembly, impressive reliability and extremely fast reloading.

WILLIAM WILLIAM WILLIAM WILLIAM CONTRACTOR

CZ SCORPION EVO 3 SI SERIES

SilencerCo

CZ SCORPION EVO 3 SI CARBINE

9 × 19 | 10 9 × 21 | 10

A highly accurate and reliable 9 × 19 caliber semi-automatic carbine with a 16" barrel that's fitted with an attractive faux-suppressor. Its long, fiberglass-reinforced polymer forend is equipped with a modern M-LOK attachment system, which contributes to gripping comfort.

MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	FRAME
CZ SCORPION EVO 3 SI CARBINE	9 × 19, 9 × 21	1:10 / 6	10	16,2 / 412 ± 1	1/2"×28 UNEF	Iron, Adjustable	3,05 ± 0,05	630 / 830-880 ± 10	215 ± 5	60 / 85 ± 5	48 ± 10	Fiberglass-reinforced polymer
CZ SCORPION EVO 3 SI CARBINE COM	9 × 19	1:10 / 6	10	16,2 / 412 ± 1	1/2"×28 UNEF	Iron, Adjustable	3,05 ± 0,05	665/860-910 ± 10	215 ± 5	60 / 82 ± 5	48 ± 10	Fiberglass-reinforced polymer
CZ SCORPION EVO 3 SI	9 × 19, 9 × 21	1:10 / 6	10, 20	7,7 / 196 ± 1	M18×1	Iron, Adjustable	2,56 ± 0,05	420 / 615-665 ± 10	215 ± 5	60 / 82 ± 5	48 ± 10	Fiberglass-reinforced polymer

CZ SCORPION EVO 3 SI

9 × 19 | 20 9 × 21 | 20

A semi-automatic rifle chambered for pistol cartridges. Its simple design, extreme reliability, light weight, easy handling and accuracy make it the perfect fit for modern shooting sports and hobby shooting.

CZ **SCORPION EVO 3 SI** CARBINE COMP

9 × 19 | 10

The increased shooting comfort of this model is due to an effective two-chamber muzzle brake fitted on its 16" barrel and a long forend equipped with the M-LOK attachment system. It's a first-class firearm for modern sport and hobby shooting.

CUTTING-EDGE SEMI-AUTOMATIC RIFLES WITH IMPRESSIVE PARAMETERS

The CZ BREN 2 Ms semi-automatic platform is one of the most sophisticated on the global market. Its advantages include a simple design, extreme reliability, high accuracy, low weight and excellent ergonomics, as well as ambidextrous and easy to swap controls.

CZBREN 2 MS SERIES



MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	UPPER RECEIVER
CZ BREN 2 MS 223 REM 11"	223 Rem.	1:7 / 6	10	11/280 ± 1	1/2"×28 UNEF	Iron, Folding, Adjustable	2,97 ± 0,05	577 / 762-807 ± 10	202 ± 5	80 / 104 ± 5	16 ± 4	7075 T6 aluminum alloy
CZ BREN 2 MS 7,62 × 39 11"	7,62 × 39	1:9,45 / 4	10	11/280 ± 1	M14×1 LH	Iron, Folding, Adjustable	2,87 ± 0,05	577 / 762-807 ± 10	202 ± 5	80 / 104 ± 5	16 ± 4	7075 T6 aluminum alloy
CZ BREN 2 MS CARBINE 223 REM	223 Rem.	1:7/6	10	16,5 / 425 ± 1	1/2×28 UNEF	Iron, Folding, Adjustable	3,45 ± 0,05	719 / 909-980 ± 10	202 ± 5	80/104±5	16 ± 4	7075 T6 aluminum alloy

CZ BREN 2 Ms

This model combines the outstanding design features of the CZ BREN 2 Ms series with the impressive ballistic performance of the 7,62 × 39 cartridge. Standard equipment includes a 10-round magazine and mechanical sights.

CZ BREN 2 Ms CARBINE NEW



223 Rem. | 10

The CZ BREN 2 Ms semi-automatic carbine is chambered in the popular 223 Rem. caliber. It comes with a long, interchangeable forend, 425 mm barrel and extended folding/telescopic shoulder stock with raised comb. Its design is optimized for accurate shooting, even at longer distances. Standard equipment includes a 10-round magazine and mechanical sights.

N C695670

ACCESSORIES



A0103-0001

INFORCE WML TACTICAL TORCH, 400 LM BLACK

A0103-0001-0003 INFORCE WML TACTICAL TORCH, 400 LM FDE

A0103-0002 INFORCE WML TACTICAL TORCH, 400 LM, IR W-05-2



A0203-0001

INFORCE WMLX TACTICAL TORCH, 800 LM BLACK

A0203-0002 INFORCE WMLX TACTICAL TORCH, 700 LM, IR



A0101-0008

A0207-0010

ASE UTRA AU1300-BC; DUAL 556-NORMAL (BL)

RED DOT AIMPOINT MICROT-2, SCR. (200170)



A0201-0004

AIMPOINT MAGNIFYING MODULE, 3×MAG



A0210-0007





A0210-0010

SM-3002 MRO MOUNT, ABSOLUTE



A0210-0012

QDM-3001 MRO MOUNT



A0101-0010

TRIJCON MRO RED DOT SIGHT, (39 MM, SCREW)



A0105-0001

CZ EVO 3 FRONT SUPPORT



A0201-0003 AIMPOINT COMPM4 RED DOT SIGHT, TORQUE SCREW



A0310-0008 M-LOK ALUMINUM RAIL, 3 SLOTS

M-LOK ALUMINUM RAIL, 5 SLOTS

A0310-0007





A0207-0035 ASE UTRA AU635-I-BC; SL8I



545900001125 223 REM MAGAZINE, 10 ROUND



3722-3500-7310ND CZ MAG 7,62×39 MAGAZINE, 10 ROUND



3662-0770-0725ND

CZ MAG 9MM MAGAZINE, 20 ROUND

3662-0800-0715ND CZ MAG 9MM MAGAZINE, 10 ROUND

3662-0780-0735 ND CZ MAG 9MM MAGAZINE, 30 ROUND



3722-3500-6501 ND

CZ MAG 5,56×45 MAGAZINE, 30 ROUND



3722-3500-7301 ND

CZ MAG 7,62×39 MAGAZINE, 30 ROUND

D2800-0300

1/2 POINT RIFLE SLING, BLACK

D2800-0600 1/2 POINT RIFLE SLING, FDE



A0310-0006

M-LOK QD SLING MOUNT



A0210-0002

QD LOOP FOR SLING

D3900-0300

BREN RIFLE TACTICAL BAG, BLACK

D3900-0600 BREN RIFLE TACTICAL BAG, FDE

D3800-0600 EVO RIFLE TACTICAL BAG, FDE





5133-1000-01ND

CZ 455/CZ 457 22 LR METAL MAGAZINE, 5 ROUND




5073-1000-8802ND

CZ 455/CZ 457/CZ 512 WMR/HMR FIBERGLASS--REINFORCED POLYMER MAGAZINE, 5 ROUND



5131-1001-02ND

CZ 455/CZ 457 22 LR SINGLE ROUND INSERT



5133-1200-01ND CZ 455/CZ 457 22 LR, METAL MAGAZINE, 10 ROUND

5133-1000-02ND

CZ 455/CZ 457/CZ 512

22 LR FIBERGLASS-REINFORCED

POLYMER MAGAZINE, 5 ROUND



5073-1200-8802ND

CZ 455/CZ 457/CZ 512 WMR/HMR FIBERGLASS--REINFORCED POLYMER MAGAZINE, 10 ROUND



5133-1200-02ND

CZ 455/CZ 457/CZ 512 22 LR FIBERGLASS-REINFORCED POLYMER MAGAZINE, 10 ROUND



5123-1225-03ND

CZ 455/CZ 457/CZ 512 22 LR FIBERGLASS-REINFORCED POLYMER MAGAZINE, 15 ROUND

5123-1225-02ND

CZ 455/CZ 457/CZ 512 22 LR FIBERGLASS-REINFORCED POLYMER MAGAZINE, 25 ROUND



6003-4000-6401ND

CZ 600 223 REM. MAGAZINE, 5 ROUND

6003-4000-7301ND CZ 600 7,62×39 A 224 VAL MAGAZINE, 5 ROUND



6003-4000-5301ND

CZ 600 MAGAZINE 308 WIN. 6CM, 6,5 CM 5 ROUND 6,5 PRC 3 ROUND



6003-4000-6901ND

CZ 600 MAGAZINE 30-06 SPRING, 8 × 57 IS 5 ROUND 300 WM 3 ROUND





CZ 600 THIN-WALLED BARREL 6000-2020-64114ND

223 REM M15×1

6000-2020-53114ND 308 WIN M15×1

6000-2022-11114ND 6,5 CREEDMOOR M15×1

6000-2020-38114ND 30-06 SPRG M15×1

6000-2020-20114ND 8×57 IS M15×1

6000-2024-69114ND 300 WIN MAG M15×1

CZ 600 THIN-WALLED BARREL W/SIGHTS 6002-2020-64114ND

223 REM M15×1

6002-2020-53114ND 308 WIN M15×1

6002-2020-38114ND 30-06 SPRG M15×1

6002-2020-20114ND 8×57 IS M15×1

6002-2024-69114ND 300 WIN MAG M15×1

CZ 600 HEAVY BARREL

6MM CREEDMOOR M18×1

6000-2024-45136ND

6000-2024-53136ND 308 WIN M18×1

6002-3200-5301ND

6002-9000-01

CZ 600 TOOL SET

SIX-LUG BOLT HEAD 308 WIN, 6CM, 6,5CM, 30-06 SPRING., 8×57 IS

6002-3200-6901ND SIX-LUG BOLT HEAD 6,5 PRC, 300 WM






6002-3200-7301ND

THREE-LUG BOLT HEAD 7,62×39

6002-3200-6401ND THREE-LUG BOLT HEAD 223 REM



223 REM M15×1

6000-2018-73124ND 7,62×39 M15×1

6000-2020-53124ND 308 WIN M15×1

6000-2022-45124ND 6 CREEDMOOR M15×1

6000-2022-11124ND 6,5 CREEDMOOR M15×1

6000-2024-46124ND 6,5 PRC M15×1

6000-2020-38124ND 30-06 SPRG M15×1

6000-2020-20124ND 8×57 IS M15×1

6000-2024-69124ND 300 WIN MAG M15×1





5120-0200

CZ RIFLE TOOL SET







6000-3320-02ND

6000-3322-01ND

- ALPHA / ERGO

CZ 600 POLYMER BOLT KNOB

CZ 600 WOODEN BOLT KNOB - LUX



6000-3320-03ND

CZ 600 DURALUMIN BOLT KNOB - RANGE



6000-3320-51ND

CZ 600 DURALUMIN BOLT KNOB - ΤΡΔΙΙ



5120-0330-01



6003-5011-505ND

6003-5012-505ND

6003-5013-505ND

CZ 600 ALPHA STOCK - MINI

CZ 600 ALPHA STOCK - LONG

CZ 600 ALPHA STOCK - MEDIUM

CZ 600 LUX STOCK - MINI

CZ 600 LUX STOCK - MEDIUM



6003-5031-504ND

CZ 600 ERGO STOCK - MINI

6003-5032-504ND CZ 600 ERGO STOCK - MEDIUM

6003-5033-504ND CZ 600 ERGO STOCK - LONG






6003-8000-6401ND

CZ 600 TRAIL STOCK 223 REM

6003-8000-7301ND CZ 600 TRAIL STOCK 7,62 × 39

CZ 600 RUBBER BOLT KNOB COVER





6003-5022-203ND

6003-5023-203ND

6003-5021-203ND

CZ 600 LUX STOCK - LONG









5120-0110-05

CZ NYLON/RUBBER FIREARM SLING - RUBBER-CAMO

- RUBBER-DARK BROWN



5500-2990-01ND TRIGATTI SLING STUD



1081-7383

TRIGATTI SLING SWIVEL, 2 PCS



1002-4100-05 ATI SLING LOOP



5812-1293-04ND

CZ 455/CZ 457 SWIVEL

5120-0400

BASIC CZ RIFLE CASE - BLACK

N

U

P

5120-0500

BASIC CZ RIFLE CASE - FDE

5120-0600 PREMIUM CZ RIFLE CASE - BROWN 5120-0700

PREMIUM CZ RIFLE CASE - GREEN



1070-7005

CZ SCOPE 3-9×42

Objective Lens Diameter:	42 mm
Magnification:	3 – 9×
Tube Diameter:	1 in.
Reticle Focal Plane:	Second Focal Plane (SFP)
Illumination Type:	Non-Illuminated
Adjustment Click Value:	¼ MOA
Parallax:	50m
Weather Resistance:	Yes
Water Resistance Level:	Waterproof



1-inch, small, compact scope with very impressive features and versatile optics. It has an industry-leading field of view, fast focus ocular, and generous eye relief.

Features a proprietary coating process that maximizes light transmission through each optical element surface. As light hits the optical surface, normal uncoated high-performance glass can reflect up to 5% of that light, redirecting this light so it does not transmit through the optical system. However, when these high-performance lenses are vacuum-coated with proprietary lens coatings, up to 99.7% of the available light passes through each optical surface. Furthermore, when every surface of the entire optical system is properly coated, total light transmission can reach up to more than 92%, making the optical image of the riflescope "bright," even in the lowest light conditions.

It also features a Double HD lens, created when multiple extra-low dispersion lenses are chemically laminated to make a single, multi-layer highperformance optical lens. Laminating multiple lenses minimizes light reflection on the surface of multiple lenses, creates enhanced resolution and color contrast images, and minimizes chromatic aberrations.





1070-7010

SPUHR SCOPE MOUNT 2PC, DIA/ HEIGHT 1"/1"

1070-7011 SPUHR SCOPE MOUNT 2PC, DIA/HEIGHT 30MM/1"

1070-7012 SPUHR SCOPE MOUNT 2PC. DIA/HEIGHT 34MM/1,18"



1070-7001

CZ 455/457/512 2-PIECE MOUNT 1" DIA.

1070-7002 CZ 455/457/512 2-PIECE MOUNT DIA. 30MM



1070-7015

1070-7016

SPUHR RDS-SCOPE MOUNT DELTAPOINT ADAPTER



1070-9059

CZ 457 RAIL FOR DIOPTER



1070-9057

CZ 457 MIL-STD-1913



1070-7013

SPUHR ISMS MOUNT 2PC, DIA/HEIGHT 30MM/1"

1070-7014 SPUHR ISMS MOUNT 2PC. DIA/HEIGHT 34/1"



C0300-0017

SPUHR SCOPE MOUNT IPC, DIA/HEIGHT 30/30MM







6000-0010-01ND

MUZZLE CAP M15×1 LIGHT BARREL

6000-0010-04ND MUZZLE CAP M15×1 SEMI-HEAVY BARREL

6000-0010-08ND MUZZLE CAP M18×1 HEAVY BARREL



5080-0060-80ND

1/2×20 UNF THREAD CAP (AMERICAN)

5080-0060-90ND 1/2×20 UNF THREAD CAP (VARMINT)

C0300-0003

CZ 600 MIL-STD-1913 LONG

C0300-0001 CZ 600 MIL-STD-1913 MEDIUM

C0300-0002 CZ 600 MIL-STD-1913 MEDIUM 25MOA



465507007011

1002-5102-03

CARRIER

CZ 457 FRONT SIGHT TUNNEL

1222222

COMPENSATOR FOR 1/2×20 UNF THREAD (AMERICAN)

465507007021 COMPENSATOR FOR 1/2×20 UNF THREAD (VARMINT)



545130060481

M18×1 MUZZLE BRAKE



1002-5102-01

1002-5102-02

- VARMINT

CZ 457 FRONT SIGHT TUNNEL

CARRIER WITH BIATHLON SHUTTER

CZ 457 FRONT SIGHT TUNNEL CARRIER - VARMINT



5073-1900-01ND

CZ 455/CZ 457 CAMP RIFLE REAR SIGHT



C0300-0004

CZ 600 RINGS REMINGTON 2PC D. 1". H. 30

C0300-0005 CZ 600 RINGS REMINGTON 2PC D. 30, H. 34

C0300-0006 CZ 600 RINGS REMINGTON 2PC D. 34, H. 34

C0300-0007 WEAVER SCOPE RINGS 2PC D. 1", H. 30

C0300-0008 WEAVER SCOPE RINGS 2PC D. 30. H. 34

C0300-0009 WEAVER SCOPE RINGS 2PC D. 34, H. 34

1002-5101-01

CZ 457 DURAL TRIGGER GUARD BLACK

1002-5101-02 CZ 457 DURAL TRIGGER GUARD GOLD

1002-5101-03 CZ 457 DURAL TRIGGER GUARD GREEN

1002-5101-04 CZ 457 DURAL TRIGGER GUARD RED

1002-5101-05 CZ 457 DURAL TRIGGER GUARD BLUE



C0300-0010

WEAVER SCOPE RINGS 1PC MINI D. 30, H. 30

C0300-0011 WEAVER SCOPE RINGS 1PC MEDI D. 30, H. 34

C0300-0012 WEAVER SCOPE RINGS 1PC MEDI D. 34, H. 34

C0300-0013 WEAVER SCOPE RINGS 1PC LONG D. 30, H. 34

C0300-0014 WEAVER SCOPE RINGS 1PC LONG D. 34, H. 34

C0300-0015 REMIN. SCOPE RINGS 1PC MED.D. 30, H. 34

C0300-0016 REMIN. SCOPE RINGS 1PC MED. D. 34, H. 34

CZ 600 MIL-STD-1913 MINI





0721-0700-03ND

STEEL TRITIUM SIGHT SET V.2 (5,50 MM)

0721-0700-02ND STEEL TRITIUM SIGHT SET V.2 (5,50 MM)

0721-0700-04ND STEEL TRITIUM SIGHT SET V.4 (6,00 MM)



0561-0700-02ND

CZ P-10 TRIT 5,5 MM SIGHT SET 2

0561-0700-03 CZ P-10 TRIT 5,75 MM SIGHT SET 3



1081-0101

CZ SHADOW 2/CZ SP-01 SHADOW ADJUSTABLE REAR SIGHT

1091-1250-01

FRONT SIGHT WITH 5,25 MM DOT V1 1091-1250-02

FRONT SIGHT WITH 5,50 MM DOT V2 1091-1250-03 FRONT SIGHT WITH 5,75 MM DOT V2

1091-1250-04 FRONT SIGHT WITH 6,00 MM DOT V2

1091-1250-05 FRONT SIGHT WITH 6,25 MM DOT V2

1091-1250-06 FRONT SIGHT WITH 6,50 MM DOT V2

1091-1250-07 FRONT SIGHT WITH 6,75 MM DOT V2

1091-1250-08 FRONT SIGHT WITH 7,00 MM DOT V2

1091-1250-09 FRONT SIGHT WITH 7,50 MM DOT V2

1091-1250-10 FRONT SIGHT WITH 8,00 MM DOT V2

1091-1250-11 FRONT SIGHT WITH 8.50 MM DOT V2

1091-1251-01

FRONT SIGHT WITHOUT DOT VI 5,25 MM

1091-1251-02 FRONT SIGHT WITHOUT DOT V2 5.50 MM

1091-1251-03 FRONT SIGHT WITHOUT DOT V2 5,75 MM

1091-1251-04 FRONT SIGHT WITHOUT DOT V2 6.00 MM

1091-1251-05 FRONT SIGHT WITHOUT DOT V2 6.25 MM

1091-1251-06 FRONT SIGHT WITHOUT DOT V2 6.50 MM

1091-1251-07 FRONT SIGHT WITHOUT DOT V2 6.75 MM

1091-1251-08 FRONT SIGHT WITHOUT DOT V2 7,00 MM

1091-1251-09 FRONT SIGHT WITHOUT DOT V2 7,50 MM

1091-1251-10 FRONT SIGHT WITHOUT DOT V2 8,00 MM

1091-1251-11 FRONT SIGHT WITHOUT DOT V2 8.50 MM

1091-1252-01

FIBER OPTIC SIGHT V1 1×5,25 MM

1091-1252-02 FIBER OPTIC SIGHT V2 1×5.50 MM

1091-1252-03 FIBER OPTIC SIGHT V2 1×5,75 MM

1091-1252-04 FIBER OPTIC SIGHT V2 1×6,00 MM

1091-1252-05 FIBER OPTIC SIGHT V2 1×6,25 MM

1091-1252-06 FIBER OPTIC SIGHT V2 1×6.50 MM

1091-1252-07 FIBER OPTIC SIGHT V2 1×6.75 MM

1091-1252-08 FIBER OPTIC SIGHT V2 1×7,00 MM

1091-1252-09 FIBER OPTIC SIGHT V2 1×7.50 MM

1091-1252-10 FIBER OPTIC SIGHT V2 1×8,00 MM

1091-1252-11 FIBER OPTIC SIGHT V2 1×8.50 MM

1091-1253-01

FIBER OPTIC SIGHT V1 1,5×5,25 MM

1091-1253-02 FIBER OPTIC SIGHT V2 1,5×5,50 MM

1091-1253-03 FIBER OPTIC SIGHT V2 1,5×5,75 MM

1091-1253-04 FIBER OPTIC SIGHT V2 1,5×6,00 MM

1091-1253-05 FIBER OPTIC SIGHT V2 1,5×6,25 MM

1091-1253-06 FIBER OPTIC SIGHT V2 1.5×6.50 MM

1091-1253-07 FIBER OPTIC SIGHT V2 1.5×6.75 MM

1091-1253-08 FIBER OPTIC SIGHT V2 1,5×7,00 MM

1091-1253-09 FIBER OPTIC SIGHT V2 1,5×7,50 MM

1091-1253-10 FIBER OPTIC SIGHT V2 1,5×8,00 MM

1091-1253-11 FIBER OPTIC SIGHT V2 1.5×8.50 MM



1081-0105

CZ 75 TS ORANGE ADJUSTABLE REAR SIGHT



1081-0220

CZ TS 2 FULLY ADJUSTABLE REAR SIGHT





	•	•	•	•
HEIGHT DF FRONT SIGHT	FRONT SIGHT WITH DOT *	FRONT SIGHT WITHOUT DOT *	1 MM FIBER OPTIC SIGHT **	1,5 MM FIBER OPTIC SIGHT **
5,25 mm	1091-1250-01	1091-1251-01	1091-1252-01	1091-1253-01
i,5 mm	1091-1250-02	1091-1251-02	1091-1252-02	1091-1253-02
,75 mm	1091-1250-03	1091-1251-03	1091-1252-03	1091-1253-03
mm	1091-1250-04	1091-1251-04	1091-1252-04	1091-1253-04
5,25 mm	1091-1250-05	1091-1251-05	1091-1252-05	1091-1253-05
5,5 mm	1091-1250-06	1091-1251-06	1091-1252-06	1091-1253-06
5,75 mm	1091-1250-07	1091-1251-07	1091-1252-07	1091-1253-07
' mm	1091-1250-08	1091-1251-08	1091-1252-08	1091-1253-08
7,5 mm	1091-1250-09	1091-1251-09	1091-1252-09	1091-1253-09
3 mm	1091-1250-10	1091-1251-10	1091-1252-10	1091-1253-10
3,5 mm	1091-1250-11	1091-1251-11	1091-1252-11	1091-1253-11

Ο



1091-1260

1091-1263

1091-1262

* CZ P-07, CZ P-09, CZ 75 COMPACT, CZ 75 D COMPACT, CZ 75,

** CZ 75 COMPACT,

CZ SP-01,

CZ SP-01.

CZ 75 B Ω, CZ 85, CZ 97,

CZ 75 D COMPACT, CZ 75,

CZ 75 B Ω, CZ 85, CZ 97,

CZ 75 TS, CZ 75 TS CZECHMATE

CZ 75 TS, CZ 75 TS CZECHMATE

DEFENDER REAR SIGHT

DEFENDER REAR SIGHT

DEFENDER REAR SIGHT

WITH 7.3 MM DOT

WITH 8,3 MM DOT

WITH 10 MM DOT

CZ 75 SP-01 TACTICAL, CZ SHADOW, CZ 75 SP-01 PHANTOM

CZ 75 SP-01 TACTICAL, CZ SHADOW, CZ 75 SP-01 PHANTOM

1091-1263

DEFENDER REAR SIGHT WITHOUT DOT (7,3 MM)

1091-1264 DEFENDER REAR SIGHT WITHOUT DOT (8,3 MM)

1091-1265 DEFENDER REAR SIGHT WITHOUT DOT (10 MM)



1091-1266

TARGET REAR SIGHT WITH 7,3 MM DOTS

1091-1267 TARGET REAR SIGHT WITH 8.3 MM DOTS

1091-1268 TARGET REAR SIGHT WITH 10 MM DOTS



1091-1272

7.3 MM FIBER OPTIC REAR SIGHT

1091-1273 8,3 MM FIBER OPTIC REAR SIGHT

1091-1274 10 MM FIBER OPTIC REAR SIGHT



1091-1269

TARGET REAR SIGHT WITHOUT DOTS (7,3 MM)

1091-1270 TARGET REAR SIGHT WITHOUT DOTS (8,3 MM)

1091-1271 TARGET REAR SIGHT WITHOUT DOTS (10 MM)

	HEIGHT OF REAR SIGHT	DEFENDER REAR SIGHT WITH DOTS	DEFENDER REAR SIGHT WITHOUT DOTS	TARGET REAR SIGHT WITH DOTS	TARGET REAR SIGHT WITHOUT DOTS	FIBER OPTIC REAR SIGHT
CZ P-07 / CZ P-09	7,3 mm	1091-1260	1091-1263	1091-1266	1091-1269	1091-1272
CZ 75 / CZ 85 / CZ 75 SP-01	8,3 mm	1091-1261	1091-1264	1091-1267	1091-1270	1091-1273
CZ 75 SP-01 SHADOW	10 mm	1091-1262	1091-1265	1091-1268	1091-1271	1091-1274

				•	
	HEIGHT OF REAR SIGHT	WITH FIBER OPTICS 1 M	WITH FIBER OPTICS 1.5 M	TRITIUM FRONT SIGHT	TRITIUM REAR SIGHT
CZ P-07 / CZ P-09	5,5 mm	1091-1282-02	1091-1283-02	0720-0600-06ND	0720-0690-01ND
CZ P-07 / CZ P-09	5,75 mm	1091-1282-03	1091-1283-03	0720-0600-07ND	0720-0690-01ND
CZ P-07 / CZ P-09	6 mm	1091-1282-04	1091-1283-04	0720-0600-08ND	0720-0690-01ND





CZ SP-01 / CZ SHADOW 2 MAGAZINE 9×19, 17 ROUND, AFC

0422-0710-17ND CZ 75, CZ SP-01 / CZ SHADOW 2 / CZ 75 MAGAZINE, 10 ROUND



0422-0710-15ND

CZ SP-01 / CZ SHADOW 2 AFC MAGAZINE, 19 ROUND



1010-1313

CZ SP-01 / CZ SHADOW 2 KADET MAGAZINE



0422-0710-16ND

CZ 75 / CZ SP-01 / CZ SHADOW 2 NICKEL MAGAZINE, 19 ROUND



0472-3710-1617ND

CZ TS / CZ TS 2 40 S&W MAGAZINE 17 ROUND



0582-0710-01ND

CZ P-10 M 9×19 MAGAZINE 7 ROUND



0552-0030-10ND

CZ P-10 C 9×19 MAGAZINE, 15 ROUND

0552-0030-04ND CZ P-10 C / CZ P-07 9×19 MAGAZINE, 10 ROUND



0552-0030-06ND

CZ P-10 / CZ P-07 9×19 MAGAZINE, 17 ROUND



0722-0030-10ND

CZ P-09 / CZ P-10 F 9×19 MAGAZINE 19 ROUND

0532-0030-10ND CZ P-10 F 45 AUTO MAGAZINE 13 ROUND

0722-0030-05ND CZ P-09 / CZ P-10 F MAGAZINE 10 ROUND



0472-3710-0713ND

CZ TS 2 RACING GREEN MAGAZINE, 20 ROUND, GREEN

0472-3710-0712ND CZ TS 2 DEEP BRONZE MAGAZINE, 20 ROUND, BLACK BASEPLATE (FUNNEL)





5125-1099

CZ P-10 C KYDEX HOLSTER (R)

5125-1098 CZ P-10 C KYDEX HOLSTER (L)

5125-1190-02 CZ P-10 F KYDEX HOLSTER (L)

5125-1190-01 CZ P-10 F KYDEX HOLSTER (R)

5125-1191-02 CZ P-10 S KYDEX HOLSTER (L)

5125-1191-01 CZ P-10 S KYDEX HOLSTER (R)

5125-1040 CZ P-09 KYDEX HOLSTER (R)

5125-1041 CZ P-09 KYDEX HOLSTER (L)

5125-1042 CZ P-07 KYDEX HOLSTER (R)

5125-1043 CZ P-07 KYDEX HOLSTER (L)

5125-1060 CZ 75 KYDEX HOLSTER (R)

5125-1062 CZ SP-01 KYDEX HOLSTER (R)



5125-1226

CZ P-10 M KYDEX HOLSTER OWB + OLIGHT (L)

5125-1227 CZ P-10 M KYDEX HOLSTER OWB + OLIGHT (R)



5125-1223

CZ P-10 M KYDEX HOLSTER IWB + OLIGHT (L)

5125-1222 CZ P-10 M KYDEX HOLSTER IWB + OLIGHT (R)



5125-1047

CZ P-07 / CZ P-09 / CZ P-10 DOUBLE MAGAZINE HOLSTER

5125-1049 CZ 75 DOUBLE MAGAZINE HOLSTER

5125-1810 CZ P-10 M DOUBLE MAGAZINE HOLSTER - OWB

5125-1046

CZ P-07 / CZ P-09 / CZ P-10 MAGAZINE HOLSTER

5125-1048 CZ 75 MAGAZINE HOLSTER

5125-1808 CZ P-10 M KYDEX MAGAZINE HOLSTER - IWB

5125-1809 CZ P-10 M KYDEX MAGAZINE HOLSTER - OWB





5125-1200

CZ TS 2 KYDEX HOLSTER OWB (R)

5125-1201 CZ TS 2 KYDEX HOLSTER OWB (L)



5125-1202

CZ TS 2 KYDEX SPORT HOLSTER (TEKLOK) (R)

5125-1203 CZ TS 2 KYDEX SPORT HOLSTER (TEKLOK) (L)



5125-1220

CZ P-10 C KYDEX IWB HOLSTER + OLIGHT (R)

5125-1221 CZ P-10 C KYDEX IWB HOLSTER + OLIGHT (L)



5125-1230

CZ P-10 F, 45 AUTO KYDEX OWB HOLSTER, NO SWG (R)

5125-1231 CZ P-10 F, 45 AUTO KYDEX OWB HOLSTER, NO SWG (L)

5125-1232 CZ P-10 F, 45 AUTO KYDEX OWB HOLSTER 1/2 SWG (R)

5125-1232 CZ P-10 F, 45 AUTO KYDEX OWB HOLSTER 1/2 SWG (L)

5125-1234 CZ P-10 F, 45 AUTO KYDEX OWB HOLSTER FULL SWG (R)

5125-1235 CZ P-10 F, 45 AUTO KYDEX OWB HOLSTER FULL SWG (L)



5125-1228



5125-1229 CZ P-10 SC/CZ P-10 F KYDEX OWB HOLSTER + OLIGHT (L)



CZ P-10 C KYDEX HOLSTER OWB + OLIGHT (R)

5125-1225 CZ P-10 C KYDEX HOLSTER OWB + OLIGHT (L)

5125-1236

CZ P-10 S KYDEX IWB + OLIGHT (R) **5125-1237** CZ P-10 S KYDEX IWB + OLIGHT (L)





CZ P-10 S KYDEX OWB + OLIGHT (R)

5125-1239 CZ P-10 S KYDEX OWB + OLIGHT (L)



5125-1807

CZ P-10 M TRIGGER-GUARD





5125-1801

CZ P-10 M KYDEX - IWB 1/2 SWG (P)

5125-1802 CZ P-10 M KYDEX - IWB 1/2 SWG (L)



5125-1805

CZ P-10 M KYDEX HYBRID (R)

5125-1806 CZ P-10 M KYDEX HYBRID (L)



5125-1803

CZ P-10 M KYDEX - OWB (R) **5125-1804** CZ P-10 M KYDEX - OWB (L)

5125-1810-03

5125-1810-04

BROWN (L)

CZ P-10 M IWB LEATHER HOLSTER BROWN (R)

CZ P-10 M IWB LEATHER HOLSTER



5125-1811

CZ P-10 M TRIGGER-GUARD EXTENDED

5125-1405-09

CZ P-10 C OWB LEATHER HOLSTER BROWN (R)

5125-1405-10 CZ P-10 C OWB LEATHER HOLSTER BROWN (L)

5125-1407-01

CONCEALED CARRY PISTOL BAG, BLACK 5125-1407-02 - GREY

5125-1407-03 - GREEN

5125-1407-04 - PINK





1091-1341-03

CZ 75 SP-01 ALUMINUM MAGAZINE BASEPLATE - RED

1091-1341-04 CZ 75 SP-01 ALUMINUM MAGAZINE BASEPLATE - BLUE

1091-1341-02 CZ 75 SP-01 ALUMINUM MAGAZINE BASEPLATE - SILVER

1091-1341-01 CZ 75 SP-01 ALUMINUM MAGAZINE BASEPLATE - BLACK



1091-2280-01

CZ SHADOW 2 MAGAZINE FUNNEL - BLACK

1091-2280-05 CZ SHADOW 2 MAGAZINE FUNNEL - PURPLE

1091-2280-12 CZ SHADOW 2 MAGAZINE FUNNEL - SILVER

1091-2280-14 CZ SHADOW 2 MAGAZINE FUNNEL - BLUE



1091-1360

CZ P-10 ENLARGED ALUMINUM MAGAZINE BASEPLATE



1091-1342-03

CZ TS ALUMINUM MAGAZINE BASEPLATE - RED

1091-1342-04 CZ TS ALUMINUM MAGAZINE BASEPLATE - BLUE

1091-1342-02 CZ TS ALUMINUM MAGAZINE BASEPLATE - SILVER

1091-1342-01 CZ TS ALUMINUM MAGAZINE BASEPLATE - BLACK



1091-1345-05

CZ SHADOW 2 ALUMINUM MAGAZINE BASEPLATE FOR USE WITH FUNNEL - PURPLE

1091-1345-11 CZ SHADOW 2 ALUMINUM MAGAZINE BASEPLATE FOR USE WITH FUNNEL - BLACK

1091-1345-12 CZ SHADOW 2 ALUMINUM MAGAZINE BASEPLATE FOR USE WITH FUNNEL - SILVER

1091-1345-14 CZ SHADOW 2 ALUMINUM MAGAZINE BASEPLATE FOR USE WITH FUNNEL - BLUE



1091-1148-01

CZ TS MAGAZINE FUNNEL WIDE - BLACK



1091-2180-05

CZ SHADOW 2 GRIP PANELS - PURPLE (HARD ELOX)

1091-2180-11 CZ SHADOW 2 GRIP PANELS - BLACK (HARD ELOX)

1091-2180-12 CZ SHADOW 2 GRIP PANELS - SILVER (HARD ELOX)

1091-2180-14 CZ SHADOW 2 GRIP PANELS - BLUE (HARD ELOX)

1091-1380-01

CZ P-10 S, C, SC, F TRIGGER DURALUMIN - BLACK

1091-1380-02 - RED

1091-1380-03 - BLUE

1091-1380-04 - GREEN

1091-1390-01 CZ P-10 M TRIGGER DURALUMIN - BLACK

1091-1390-02 - RED 1091-1390-03 - BLUE

1091-1390-04 - GREEN



B0105-0012-06

CZ TS 2 GRIP PANELS LONG - BLACK

B0105-0012-11 CZ TS 2 GRIP PANELS LONG - RED

B0106-0012-10 CZ TS 2 GRIP PANELS LONG - BLUE

B0106-0012-07 CZ TS 2 GRIP PANELS LONG - GREEN



CZ TS 2 GRIP PANELS SHORT - BLACK

B0105-0011-11 CZ TS 2 GRIP PANELS SHORT - RED

B0105-0011-10 CZ TS 2 GRIP PANELS SHORT - BLUE







CZ P-10 M MAGAZINE RELEASE

0580-0323-02

LEFT-HANDED



0470-0080-1604ND

CZ TS 2 SEAR PIN



1091-1352

1091-1377-01

1091-1377-02 - RED

CZ TS THUMBREST 20° ANGLE (RACING GREEN)

1091-1353 CZ TS THUMBREST 48° ANGLE (ORANGE)

1091-1354 CZ TS THUMBREST 20,5° ANGLE SHORT (BRONZE)



1091-1312-01

TACTICAL SPORT TRIGGER - BLACK



1091-1320

SA/DA HAMMER

0471-0081-1606ND

(ND)

CZ SHADOW 2/CZ TS SLIDE STOP



1091-1321

SA HAMMER

0423-2500-02ND

EXTENDED SAFETY (R)

CZ SHADOW 2, CZ TS, CZ TS 2



1091-1337

WIDE SAFETY SET (L) CZ 75 SP-01, CZ SHADOW, CZ TS, CZ TS 2



1091-1338

WIDE SAFETY SET (R) CZ 75 SP-01, CZ SHADOW, CZ TS, CZ TS 2



1091-1224

CZ 75 SP-01 WIDE SAFETY SET

1091-1336 CZ 75 SP-01 ORANGE



1091-1335

CZ SHADOW 2, CZ TS, CZ TS 2 WIDE SAFETY SET



1091-1410-06

CZ P-10 OPTICS READY PLATE - SHIELD RMS



1091-1410-08

CZ P-10 OR PLATE - AIMPOINT ACRO 1091-1410-01

CZ P-10 OR PLATE - TRIJICON RMR 1091-1410-03 CZ P-10 OR PLATE - DOCTER/VENOM

1091-1410-09 CZ P-10 OR PLATE - C-MORE

1091-1420-06

1091-1420-04 CZ SHADOW 2 OR PLATE - VENOM/DOCTER



1091-1420-01

CZ SHADOW 2 OPTICS READY PLATE - TRIJICON RMR /SRO



3700-7801

RED DOT SIGHT -TRIJICON SRO, 1 MOA

3700-7800 RED DOT SIGHT - TRIJICON SRO, 2,5 MOA


3700-7802 RED DOT SIGHT - TRIJICON SRO, 5 MOA



3700-8010

RED DOT SIGHT - AIMPOINT ACRO C1

3700-8020 AIMPOINT ACRO P1







1081-0171

CZ P-10 SUPPESSOR - HQH GIS PSR 9/7 (STANDARD)



1091-1370

RED DOT SIGHT - SHIELD RMS

1**091-1391** RED DOT SIGHT - SHIELD RMS - DURALUMIN




3700-7700

RED DOT SIGHT - TRIJICON RMR

1081-0170

CZ P-10 SUPPESSOR - HQH GIS PSR 9/5 (COMPACT)











3660-0040

TACTICAL LIGHT - OLIGHT VALKYRIE MINI 2

3660-0041 TACTICAL LIGHT - OLIGHT VALKYRIE MINI 2



5118-0004-01

CZ P-10 NANUK CASE - BLACK

5118-0004-02 CZ P-10 NANUK CASE - OLIVE

5118-0004-03 CZ P-10 NANUK CASE - TAN

5118-0004-04 CZ P-10 NANUK CASE - GRAPHITE

5118-0004-05 CZ P-10 NANUK CASE - SILVER

3660-0023 INFORCE WILD 1 TACTICAL LIGHT



INFORCE WILD 2 TACTICAL LIGHT

NANUK IS

5118-0005-01

CZ SHADOW 2 NANUK CASE - BLACK

5118-0005-02 CZ SHADOW 2 NANUK CASE - OLIVE

5118-0005-03 CZ SHADOW 2 NANUK CASE - TAN

5118-0005-04 CZ SHADOW 2 NANUK CASE - GRAPHITE

5118-0005-05 CZ SHADOW 2 NANUK CASE - SILVER

5118-0005-06 CZ SHADOW 2 NANUK CASE - ORANGE

CZ CONFIGURATOR

.

Build the weapon of your dreams

Since 2019, Ceska zbrojovka a.s. has offered its customers an unrivalled opportunity to build a firearm in exact accordance with their wants and needs via an interactive website. You can choose the color of the frame and slide, type of sights (including a red dot sight), size and color of the controls, magazine capacity and much more. After placing a binding order, the configured weapon is assembled and ready for final sale, which takes place in accordance with legal regulations.

At the beginning of 2022, the CZ configurator was available in the Czech Republic, Slovakia, Poland and Germany, with the goal of offering this unique service to other countries in the near future.

If the CZ Configurator is not yet in your country, contact your local CZ Dealer to express interest in gaining access to this unique online service. In the meantime, you can fully try out the English version of the CZ Configurator here:



cz**configurator**.com

Ceska zbrojovka a.s. is a member of **Colt CZ Group SE**





