

WE DISTRIBUTE OUR PRODUCTS TO MORE THAN 100 COUNTRIES AROUND THE WORLD



The technical specifications provided are for orientation purpose only and may vary according to the specific configuration. The manufacturer reserves the right to make changes or modifications at its sole discretion.

CONTENTS

ABOUT CZ	5
PISTOLS	6
CZ P-10 SERIES	8
CZ P-07/09 SERIES	18
SUB GUNS	26
CZ SCORPION EVO 3	28
SELECT FIRE RIFLES	32
CZ BREN 2 SERIES	34
CZ BREN 2 BR	42
CZ BREN 2 DMR	46
SNIPER RIFLE	48
CZ TSR	50
GRENADE LAUNCHER	52
CZ 805 G1	54



EQUIPPING THE ARMED FORCES

SINCE 1936

CZ (Ceska zbrojovka) is a premier Czech manufacturer of precision-engineered firearms. Founded in 1936 in the city of Uhersky Brod, CZ became a joint stock company in 1992, quickly growing into one of the Czech Republic's largest and most influential global exporters.

Thanks to its most precious resource, a highly skilled and motivated work force using state-of-the-art technologies, CZ has established itself as a global leader in one of the world's most challenging manufacturing fields - military-grade firearms.

Contributing to CZ's global success is its commitment to the development and use of some of the world's most advanced manufacturing equipment and processes, which include robotics, fully-automated turning and milling centers, and material coatings that significantly extend the durability and life cycle of its products.

Ultimately, CZ is able to consistently produce world-class products due to stringent quality controls that hold its people, machines and processes to the highest global manufacturing standards. This is achieved by implementing hundreds of inspections throughout the manufacturing process, which include lasers that measure tolerances to a hundredth of a millimeter. CZ's factory in Uhersky Brod, Czech Republic, is ISO 9001 certified.



PISTOLS

For more than 60 years, Ceska zbrojovka has been developing and producing semi-automatic pistols for the military and other armed forces, with its models among the most highly regarded on the world market.

The current range of CZ pistols for the armed forces consists of the striker-fired CZ P-10 series and hammer-fired CZ P-07/09 series. Both feature fiberglass-reinforced polymer frames for lightweight carry and extreme durability in adverse weather conditions. Selected models allow for the easy mounting of a red dot sight and/or suppressor. A black finish comes standard on all pistols, but the popular flat dark earth color scheme is also available on specific models.

Development activities for CZ service pistols are led by product managers with extensive experience in the armed forces. Their ongoing work is enhanced by CZ's world-class research and development facilities, which are powered by ultramodern production and design tools. Consistent feedback from end-users around the world ensures that CZ pistols are created in exact accordance with their specific wants and needs.



CZP-10 SERIES

A modern, large-capacity striker-fired pistol built to withstand the rigors of military use


The highly advanced CZ P-10 is the first choice of armed forces and police agencies across the globe, due to its leading ergonomics, high reliability and extreme accuracy. From its inception, the CZ P-10 was designed to take on the most demanding missions and withstand the extreme range of adverse weather conditions.

POLIC

The CZ P-10 series is available in all sizes - full-size, semi-compact, compact, subcompact and micro.

MAIN FEATURES









Lightweight, fiberglass-reinforced polymer frame is mechanically and thermally stable





Iron sights with three luminescent dots for quick and intuitive aiming



FULL-SIZE



The 45 Auto model is the largest caliber available in the CZ P-10 series and features a 13+1 capacity, which is impressive for its category. Even with the additional power it provides compared to the 9mm version, there is just a small increase in size and weight.

CZ **P-10 F** OR SR

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-10 F OR SR (Optics-Ready-Suppressor-Ready) features both a modified slide for attaching a red dot sight and extended barrel with 1/2" × 28 UNEF – 3A threads for mounting a suppressor.

FULL-SIZE



FULL-SIZE

CZ **P-10 F** OR

FULL-SIZE

CZ **P-10 F**

9 × 19 | 19 9 × 19 NATO | 19 9 × 21 | 19

The CZ P-10 F provides users with

a longer sight radius.

a large 19+1 firing capacity. Shooting accuracy is also increased due to

> The CZ P-10 F OR (Optics-Ready) features a modified slide for quick and easy attachment of a red dot sight.

MODEL	CALIBER	MAGAZINE CAPACITY
CZ P-10 F	9 × 19, 9 × 19 NATO 9 × 21	19/10, 19, 19
CZ P-10 F OR	9 × 19, 9 × 19 NATO	19
CZ P-10 F OR SR	9 × 19, 9 × 19 NATO	19
CZ P-10 F 45 Auto	45 Auto	13

WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
810	203 × 32 × 150	114	Luminescent	No	25 ± 4	9 ± 1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
810	203 × 32 × 153	114	Luminescent	No	25 ± 4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
830	225 × 32 × 153	134	Luminescent	1/2" × 28 UNEF – 3A	25 ± 4	9 ± 1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
930	207 × 34 × 151	114	Luminescent	No	25 ± 4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block

CZ **P-10 C**

9 × 19 | 15 9 × 19 NATO | 15 9 × 21 | 15 380 Auto | 15



The CZ P-10 C features downsized dimensions, an innovative design and large firing capacity. It's the perfect choice for missions that require high accuracy, superior ergonomics and rugged reliability.



COMPACT

CZ **P-10 C** OR

9 × 19 | 15 9 × 19 NATO | 15



The P-10 C OR (Optics-Ready) features a modified slide for mounting a red dot sight.

COMPACT

CZ **P-10 C** OR SR

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-10 C OR SR (Optics-Ready, Suppressor-Ready) features both a modified slide for attaching a red dot sight and an extended barrel with 1/2" × 28 UNEF – 3A threads for mounting a suppressor.

MODEL	CALIBER	MAGAZINE CAPACITY
CZ P-10 C	9 × 19, 9 × 19 NATO, 9 × 21, 380 Auto	15
CZ P-10 C OR	9 × 19, 9 × 19 NATO	15
CZ P-10 C OR SR	9 × 19, 9 × 19 NATO	15

with empty magazine (g)	DIMENSIONS L × W × H (mm)	LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	RESET (mm)	FRAME	SAFETY FEATURES
740	187 × 32 × 132	102	Luminescent	No	25 ± 4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
740	187 × 32 × 135	102	Luminescent	No	25 ± 4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
760	209 × 32 × 135	122	Luminescent	1/2" × 28 UNEF – 3A	25 ± 4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block

9 × 19 | 12 9 × 19 NATO | 12

The CZ P-10 S's subcompact dimensions make it an ideal choice for concealed carry or as a back-up gun. Despite its smaller size, it provides the same shooting comfort and userfriendliness as the compact version. Plenty of firepower is on hand, with a standard 12-round 9 × 19 magazine that can be extended with a +2 base plate.

SUBCOMPACT

CZ **P-10 S** OR

9 × 19 | 12 9 × 19 NATO | 12



The CZ P-10 S OR (Optics-Ready) pistol features a modified slide for quick and easy attachment of a red dot sight.

MODEL

CZ P-10 S CZ P-10 S OR

CZ P-10 M

MAGAZINE CAPACITY

CALIBER

9 × 19, 9 × 19 NATO 12

9 × 19, 9 × 19 NATO 12

MICRO


CZ **P-10 M**

9 × 19 | 7



the CZ P-10 M retains outstanding ergonomics and the superb trigger found in all CZ P-10 series pistols. Its dimensions have been optimized for comfortable concealed carry, while providing a magazine capacity of 7+1 **FDE On Demand**

All CZ P-10 models are available with fiberglass-reinforced polymer frames finished in the flat dark earth color scheme.



WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
710	170 × 32 × 116	89,5	Luminescent	No	25 ± 4	9 ± 1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
710	170 × 32 × 119	89,5	Luminescent	No	25 ± 4	9 ± 1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
575	160,5 × 25,5 × 112	85	Luminescent	No	52	9 ± 1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety



MAIN FEATURES

OMEGA trigger mechanism with smooth travel and easy reach in DA mode





Optimized ergonomics





9 × 19 | 19 9 × 19 NATO | 19



The CZ P-09 is a highly precise, large capacity service pistol designed to function with extreme reliability under the most demanding environmental conditions.



FULL-SIZE

CZ **P-09** SR

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-09 SR (Suppressor-Ready) features an extended barrel with 1/2" × 28 UNEF – 3A threads and high luminescent sights.



MODEL	CALIBER	MAGAZINE CAPACITY
CZ P-09	9 × 19, 9 × 19 NATO	19
CZ P-09 SR	9 × 19, 9 × 19 NATO	19

ith empty agazine (g)	DIMENSIONS L × W × H (mm)	LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	RESET (mm)	FRAME	SAFETY FEATURES
50	208 × 37 × 148	115	Luminescent	No	SA: 21 DA: 44 ± 2	SA: 10 ± 1 DA: 13 ± 2	7 ± 1	Fiberglass-reinforced polymer	Manual safety, Safety notch on the hammer, Firing pin block
30	230 × 37 × 148	135	Luminescent	1/2" × 28 UNEF – 3A	SA: 21 DA: 44 ± 2	SA: 10 ± 1 DA: 13 ± 2	7 ± 1	Fiberglass-reinforced polymer	Manual safety, Safety notch on the hammer, Firing pin block



A compact SA/DA pistol primarily designed for armed forces concealed carry, it features an external hammer and durable, fiberglass-reinforced polymer frame. This extremely popular model is remarkably accurate and reliable in all situations.



COMPACT

CZ **P-07** SR

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-07 SR (Suppressor-Ready) features an extended barrel with 1/2" × 28 UNEF – 3A threads and high luminescent sights.

FDE On Demand

CZ P-07 and CZ P-09 models are available with fiberglass-reinforced polymer frames finished in the flat dark earth color scheme.

MODEL	CALIBER	CAPACITY
CZ P-07	9 × 19, 9 × 19 NATO, 380 Auto	15
CZ P-07 SR	9 × 19, 9 × 19 NATO	15

ipty ne (g)	DIMENSIONS L × W × H (mm)	LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mr
	185 × 37 × 130	95	Luminescent	No	SA: 21 DA: 44 ± 2	SA: 10 ± 1
	207 × 37 × 130	115	Luminescent	1/2" × 28 UNEF – 3A	SA: 21 DA: 44 ± 2	SA: 10 ± 1 E

RIGGER RESET RAVEL (mm) (mm)		FRAME	SAFETY FEATURES		
A: 10 ± 1 DA: 13 ± 2	7 ± 1	Fiberglass-reinforced polymer	Manual safety, Safety notch on the hammer, Firing pin block		



SUB GUNS

The CZ SCORPION EVO 3 platform is a highly accurate and proven performer across a range of demanding situations. Its outstanding build quality and advanced ergonomics ensure flawless operation and handling in the field. A suppressor, red dot sight, flashlight, laser and interchangeable backstraps can all be easily attached for maximum efficiency and user comfort.





60 / 82 ± 5

Fiberglass-reinforced polymer

Iron, Adjustable 2,61 ± 0,05

420 / 625-675 ± 10





SELECT FIRE RIFLES

CZ select fire rifles are among the highest performers in their class due to advanced CZ development and manufacturing processes, together with the ongoing feedback we receive from some of the world's most elite special units and armed forces.

Military professionals value their modern, comprehensive platform designed to deliver high reliability, extreme accuracy and outstanding user comfort. Models are available in 5,56 × 45 NATO, 7,62 × 39 and 7,62 × 51 NATO chamberings.











Four MIL-STD-1913 mounting rails

Folding, extendable polymer stock

Pistol grip with interchangeable backstraps and storage space



position telescopic stock that can be extended to its maximum length with a quick pull. As a result,

you're provided with a powerful firearm that's compact and easy to operate, as well as accurate

during rapid firing.

TELESCOPIC STOCK

MODEL	CALIBER
CZ BREN 2 - 8"	5,56 × 45 NATO
CZ BREN 2 - 8" TELESCOPIC STOCK	5,56 × 45 NATO
CZ BREN 2 - 11"	5,56 × 45 NATO

IST RATE / MBER GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS
6	30	8 / 207 ± 1	M14 × 1 LH	Iron, Folding, Adjustable
6	30	8/207 ± 1	M14 × 1 LH	Iron, Folding, Adjustable
6	30	11 / 280 ± 1	M14 × 1 LH	Iron, Folding, Adjustable
6	30	14 / 357 ± 1	M14 × 1 LH	Iron, Folding, Adjustable

WEIGHT WITHOUT MAGAZINE (kg)

2,89 ± 0,05

3,08 ± 0,05 2,99 ± 0,05 3,10 ± 0,05

OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED- -FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	UPPER RECEIVE	
505 / 684-733 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 Aluminu	
560-740 ± 10	202 ± 5	80 ± 5	25 ± 5	7075 T6 Aluminu	
577 / 762-807 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 Aluminu	
657 / 840-884 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 Aluminu	



its maximum length with a quick pull. As a result,

you're provided with a powerful firearm that's compact and easy to operate, as well as accurate

during rapid firing.

TELESCOPIC STOCK

MODEL	CALIBER
CZ BREN 2 - 9"	7,62 × 39
CZ BREN 2 - 9" TELESCOPIC STOCK	7,62 × 39
CZ BREN 2 – 11"	7,62 × 39
CZ BREN 2 - 14"	7,62 × 39

/IST RATE / IMBER GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS
45 / 4	30	9 / 227 ± 1	M14 × 1 LH	Iron, Folding, Adjustable
45/4	30	9 / 227 ± 1	M14 × 1 LH	Iron, Folding, Adjustable
45 / 4	30	11 / 280 ± 1	M14 × 1 LH	Iron, Folding, Adjustable
45 / 4	30	14 / 357 ± 1	M14 × 1 LH	Iron, Folding, Adjustable

WEIGHT WITHOUT MAGAZINE (kg)

2,85 ± 0,05

3,03 ± 0,05 2,90 ± 0,05 3,01 ± 0,05

OVERALL LENGTH WITH TOCK FOLDED / UNFOLDED- FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	UPPER RECEIVER
25 / 706-753 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 Aluminum A
80-760 ± 10	202 ± 5	80 ± 5	25 ± 5	7075 T6 Aluminum A
77 / 762-807 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 Aluminum A
57 / 840-884 ± 10	202 ± 5	80 / 104 ± 5	25 ± 5	7075 T6 Aluminum A





CALIBER	OF GROOVES	CAPACITY	LENGTH ("/mm)	THREAD	SIGHTS	MAGAZINE (kg)	-FULLY EXTENDED (mm)	NO MAGAZINE (mm)	FOLDED (mm)	WEIGHT (N)	UPPER RECEIVER
	NUMBER	MAGAZINE					OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED-		STOCK UNFOLDED /		



A highly accurate, semi-automatic rifle chambered in the powerful 7,62 × 51 mm NATO caliber, designed for precise target strikes at up to 600 m and shooting with an effective range of up to 800 m.

This model has a guaranteed accuracy of 2 MOA at 600 m (with selected ammunition for the entire life of the barrel – up to 10,000 shots) and is constructed for superior reliability, even in the most extreme weather and operational conditions.

ABSOLUTE RELIABILITY IN ALL TYPES OF ADVERSE WEATHER

Above and beyond the strengths of the entire CZ BREN 2 series, it stands out for its light weight, extensive MIL-STD-1913 and M-LOK mounting interfaces, compatibility with AR-10 magazines, effective flash hider with ROTEX-V coupling for the quick installation of a B&T ROTEX-V suppressor, and the possibility to replace the standard folding/extendable stock with a fully adjustable MDT Skeleton V5 stock.

EXCEPTIONAL

ACCURACY UP TO 600 M

DEL CALIBER

OF GROOVE

MAGAZINE CAPACITY

LENGTH ("/m

HREAD

SIGHTS

MAGAZ

MAGAZINE (kg)

CK FOLDED / UNFOLDED-LLY EXTENDED (mm)

810 / 1005-1075 ± 10

N SIGHTS, MAGAZINE (mm)

263 ± 5

TRIGGER
FOCK UNFOLDED / PULL
DLDED (mm) WEIGHT (N)

(N) UPPER RECEIVER

Aluminum Alloy







Bolt handle designed for reliable and fast reloading, even with a mounted riflescope

Helical bolt fluting helps clear dirt and debris

10-round 308 Win. magazine

SNIPER





MODEL CZ 805 G1 CALIBER

CAPACITY

BARREL LENGTH ("/mm) SIGHTS

250 Iron, Adjustable WEIGHT OF EMPTY WEAPON (kg) 2,37 ± 0,05

OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED (mm)

HEIGHT WITH FOLDED
IRON SIGHTS,
NO MAGAZINE (mm)

WIDTH WITH STOCK UNFOLDED / FOLDED

62/94±5

TRIGGER PULL D (mm) WEIGHT (N) FRAME

I (N) FRAME

7075 T6 Aluminum Alloy

Folding trigger guard for gloved shooting

Easy change of left/right barrel swivel
direction for loading longer grenade rounds to





Separate carrier with folding, easily removable shoulder stock

MIL-STD-1913 mounting rail



COLT CZGROUP























